Adding to your sewing enjoyment

SEWING MACHINE

# ACCESSORIES CATALOG



# Adding to your sewing enjoyment

Janome accessories help make your sewing more comfortable and enjoyable.

Each of our accessories has been developed to be easy to use and give beautiful results so that you can sew with confidence knowing it is a Janome.

The first step in cultivating your sewing skills is choosing the right tools.

Let this catalog guide you for the projects you may have in mind and serve as inspiration for your new ideas.

# Janome Sewing Machine Compatibility Quick Reference Guide

Use this quick reference guide to determine compatibility of an accessory with your Janome sewing machine.



Embroidery & Sewing models (7 mm width)



Embroidery only models



Computer models with AcuFeed system (7 mm width)



Computer models (7 mm/5 mm width)



Top-loading (Horizontal Rotary Hook) models (6.5 mm width)



Top-loading (Horizontal Rotary Hook) models (5 mm width)



Front loading (Oscillating hook) models



Overlockers
\*excl models 203.888



CoverPro models



High speed straight stitch models



Needle punching model



Multi-needle models



Combined overlock and cover stitch models



Embroidery & Sewing models with Acufeed (9 mm)



Embroidey & Sewing models (9 mm width)



Computer models with Acufeed (9 mm width)



Computer models (9 mm width)

# Maximum Zigzag Width key info. 1

The maximum zigzag width of stitches is from 5 mm to 9 mm depending on the sewing machine.

High Shank and Low Shank of Presser Foot Holder

High shank means that the presser foot holder is installed at a higher position.

Most sewing machines with embroidery features and/or the AcuFeed system are equipped with the high shank type of presser foot holder.

Low shank means that the presser foot holder is installed at a lower position.

# AcuFeed System

key info. 3

AcuFeed Flex is a feature only available on premium Janome sewing models.

The system uses Upper Feed Teeth in conjunction with Lower Feed Teeth to gently move multiple layers of fabric through the machine. The Upper Feed Teeth move with the fabric as the Lower feed teeth move, feeding both the top and bottom layers of fabric at the same time.

There are three variations of Acufeed Flex feet available in the Janome range: Twin, Single and Professional.

	Features	Max. zigzag width	Shank	AcuFeed system				Model	Name			
Α	Embroidery & Sewing models (7 mm width) and	7 mm	High	No	Skyline S3	MC11000	MC10000/10001	MC9700	MC9500	MC9000	MC8000	MC5700 MC5000
	Skyline S3				863	860	850	857	853	832	830	834
В	Embroidery only models				MC550E 500E 450E/400E	MC350E/300E	MC200E					
	Computer models				864	852	856					
С	with AcuFeed system (7 mm width) and	7 mm	High	Yes	HMC7700QCP	MC6600P	MC6500P					
	MC6500P				858	846F	846A				FORODE	
D	Computer models (7 mm/5 mm width)	7 mm	Low	No	MC5200	MC4900	MC4800	MC3500/3000	DC4030	3160QDC 2160DC/2030DC	5300QDC 5270QDC 5120QDC DC7100/DC6030 5060QDC/DC3200	DC4100
					844	847	841	840	807	808	809	842
E	Top-loading (Horizontal Rotary Hook) models (6.5 mm width)		MS5027/MS5021 CS5031/SC5021									
	(0.5 min width)				503	654	753	757	751	505		
F	Top-loading (Horizontal Rotary Hook) models	5 mm	Low	No	Sewist 625E 525S/521 725S/721	FD216/212/206 Sew Mini Platinum	Jem Gold2	Jem Gold	Harmony 4045/4052			
	(5 mm width)				507	508	661	660	502			
G	Front loading (Oscillating hook)	5 mm	Low	No	L-392/372	L-393/373	423\$/415/405	JR1012	3012/3016/3022	311	1580LX	920
	models				731	721	303	743	306	311	748	304
Н	Overlockers				ML744D	ML644D	990-90th anniversary	8002D	ML634D/1110DX DreamLock 70D EzyLock604D	ML213	9102D	AT2000D
					794	791	789	792	788	790	793	799
ı	CoverPro models				900CP	1000/2000CPX	CP3000P					
					795	796	778					
J	High speed straight stitch models	7 mm	High	No	1600P	HD9P						
					767C	767F						
K	Needle punching model				FM725							
					725		•					
L	Multi-needle models				MB-4	MB-4S	MB-7					
					770	770	771					
М	Combined overlock and cover stitch models				1200D	1100D						
					797A	797C						
N	Embroidery & Sewing models with Acufeed (9 mm)	9 mm	High	Yes	HMC15000	HMC14000	HMC12000	Skyline S9	CM17			
					862A	862F	859A	862SA	868A			
0	Embroidery & Sewing models (9 mm width)	9 mm	High	No	MC9900 MC9850							
					861							
Р	Computer models with Acufeed (9 mm width)	9 mm	High	Yes	Skyline S7	Skyline S6	HMC9450QCP HMC9400QCP	HMC8900QCP	HMC8200QC	MC6700P	СМ7Р	HMC9480QCF HMC9410QC
					863	863	865	858F	858G	866	867	869A/AL
Q	Computer models (9 mm width)	9 mm	High	No	Skyline S5	MC6650						
					863	866						

	1											07-Jun-24
	Features	Max. zigzag width	Shank	AcuFeed system				Mode	l Name			
Α	Embroidery & Sewing models (7 mm width) and Skyline S3	7 mm	High	No								
В	Embroidery only models											
С	Computer models with AcuFeed system (7 mm width) and MC6500P	7 mm	High	Yes								
D	Computer models (7 mm/5 mm width)	7 mm	Low	No	DC3018 DC3030 DC3060 DC8350/8330	<b>6260QC</b> 845	Jem Platinum	TS100Q TS200Q	M50QDC M100QDC M200QDC	<b>S-750</b> 749	<b>M30A</b>	Sewist 780DC 740DC
E	Top-loading (Horizontal Rotary Hook) models (6.5 mm width)	6.5 mm	Low	No	043	043	800	OII	OIZ	747	803	014
F	Top-loading (Horizontal Rotary Hook) models (5 mm width)	5 mm	Low	No								
G	Front loading (Oscillating hook) models	5 mm	Low	No	RX18S	Harmony 2039/2049	Jem Harmony 1017	726 670	729/72922S LR1122DX	523 3022	1522	
н	Overlockers				722B	302	639	726	729	312	315	
I	CoverPro models											
J	High speed straight stitch models	7 mm	High	No								
К	Needle punching model											
L	Multi-needle models											
М	Combined overlock and cover stitch models											
N	Embroidery & Sewing models with Acufeed (9 mm)	9 mm	High	Yes								
0	Embroidery & Sewing models (9 mm width)	9 mm	High	No								
Р	Computer models with Acufeed (9 mm width)	9 mm	High	Yes	CM8P CM6 867C/CL							
Q	Computer models (9 mm width)	9 mm	High	No	3370,61							

# Table of contents

JANOME QUALITY	8
CATALOG OF ACCESSORIES	13
■ FOR GENERAL SEWING MACHINES	14
■ FOR OVERLOCKERS	35
■ FOR COVER STITCH MACHINES	39
■ FOR PROFESSIONAL OVERLOCKERS	
AND COVER STITCH MACHINES	43
■ FOR HIGH SPEED MACHINES	47
■ NEEDLE PUNCHING	54
■ MISC. ACCESSORIES	56

# Package information

Package specifications are listed.

BP: Blister pack



CB: Cardboard box




NP: No packaging or shipped in a plastic bag



### Janome Engineering and Craftsmanship for Better Quality Sewing

Exclusive features of Janome presser feet and accessories give you more control and accuracy for a higher quality finish. Calculated for effectiveness and full of originality, you can be assured that the history and tradition of quality Janome engineering is behind not only every sewing machine, but every presser foot and accessory as well.




### Grooves guide fabric and thread

Special grooves on the underside of feet promote optimal fabric feed for best results. On the left, the diagonal grooves on the underside of the blind hem foot improve contact of the fabric with the center guide plate for more accurate blind hems. On the right, outlets are provided on the underside of the zigzag foot to help grab the thread as it exits and improve stitch quality.

### Button locks foot tilt

Who hasn't been frustrated by stitching bunching up before a thick seam? Although sewists normally appreciate the free tilt of a sewing foot, sometimes this feature can work against you when the foot comes up against a thick seam. To help you have perfect stitching over even the thickest seams, Janome provides a button on the zigzag foot that locks it horizontally parallel to the thread plate for smooth sewing over seams or other areas of significantly varying thicknesses. This feature can also be used at the beginning of sewing thick fabrics for a perfect start.





### Caterpillars for better control

Most presser feet are flat. But what do you do when there is a significant difference in the height of the fabric on the left of the needle from that on the right, such as when finishing hems and edges of thick material? This is where the unique design of the Janome rotary even foot comes into play. The foot allows left-right tilt and its caterpillars independently grip the fabric for exceptional control, even over thick seams.

### Multiple functions in one presser foot set

From idea to reality. When our customers say, "Wouldn't it be handy if...", we listen to their ideas. The feet that come with the convertible FMQ set are interchangeable and the guide on the 1/4 inch clear-view quilting foot can be removed. This means the feet can be matched precisely to the purpose with 1 set providing a range of functions. That's why these items fulfill user needs and are proving to be popular.





# ACUFEED: Layered Fabric Feeding System

Janome truly integrates a built-in walking foot with a unique seven point feed dog system.

Since the top layer is fed in perfect timing with the bottom layer, all fabrics move smoothly, even the slippery ones like velvet or thick layers of quilting fabric and batting, and heavy home dec yardage. Perfect feeding also means perfect alignment of patterns such as checks and plaids.

### ACUFEED FLEX™

In addition to the original twin type, single type feet can now be used, expanding sewing possibilities. AcuFeed Flex<sup>TM</sup> keeps your thickest, trickiest layers moving in perfect sync with the feed dogs. You're going to love the new AcuFeed Flex<sup>TM</sup> feet for stitching your fluffiest quilts, installing zippers, or matching seams!

The AcuFeed Flex<sup>™</sup> fabric feeding system is fully detachable and easy to remove when you're not using it. Select the presser foot that best matches your sewing needs and attach. Simply snap off when not in use and store out-of-the-way in one of the ample accessory trays. Multiple twin type and single type feet are available to address different tasks.






#### AcuFeed (twin type):

The twin type AcuFeed attachments give you superior stability by taking full advantage of a wider stance. Engage the exclusive AcuFeed fabric feeding system and feel your project moving together under the needle with perfect precision.





#### **ACUFEED 1/4 INCH SEAM** FOOT AND NEEDLE PLATE

Guides edge of fabric to help you sew perfect 1/4 inch seams, especially useful for patchworking. The small needle hole on the needle plate prevents fabric from being pushed under the needle plate.

846-407-007	С	BP
010 101 001		ъ.

\* Needle plate only compatible with MC6600P

#### ACUFEED 1/4 INCH SEAM FOOT

202-031-002 C

ACUFEED QUILT PIECING FOOT (Dual feed quilt piecing foot)

202-125-004 N P BP



#### **ACUFEED OPEN TOE FOOT** (Dual feed open toe foot)

Front of foot has been removed for clearer visibility when sewing. Great for applique, monogramming, cutwork and quilting.


846-410-003	С	ΒP
202-149-004	N P	ΒP



#### **ACUFEED DITCH QUILTING FOOT** (Dual feed ditch quilting foot)

Center-position guide follows a seam line precisely, allowing perfect in-theditch quilting. Used in conjunction with various needle positions, it is also perfect for topstitching or understitching a facing.

846-413-006	С	BP
202-103-006	N P	BP





The circle hole in the foot holds the thread in place and allows for a quality straight stitch. Using together with straight stitch needle plate is recommended.

202-102-005	N P	ВР
-------------	-----	----

*The product named	"AcuFeed"	' in this catalog	is identical	to the produ	ct named "D	Dual feed"	in the sewing mac	nine instruction ma	anual.



#### AcuFeed (single type):

The single type dual feed attachments let you get in close to sew a narrower area as well as the edges of cloth.



#### ACUFEED FOOT WITH FOOT HOLDER (Dual feed foot with Dual feed holder)

This foot has the power to feed fabrics. It is especially effective for top-stitching on the edge of the fabric and stitching on narrow strips.

202-127-006	N P	ВP



# ACUFEED ZIPPER FOOT (Dual feed zipper foot)

Zippers can be attached to plastic coated fabric, leather and any tricky to handle materials without any difficulty.

202-128-007	N P	BF

<sup>\*</sup>The product named "AcuFeed" in this catalog is identical to the product named "Dual feed" in the sewing machine instruction manual.

#### ACUFEED FLEX PROFESSIONAL GRADE FOOT



This foot provides superior visibility and is great for curves and precise topstitching. It holds fabrics firmly in sync with the feed dogs to achieve professional results.

\* To use this accessory, you will need the HP needle plate that comes with your sewing machine.

202-415-004 N*1 P*2 B
-----------------------

\*1 For use with HMC15000, Skyline S9 Ver. 2.00 or later, CM17 only \*2 For use with HMC9480QCP, HMC9410QC, HMC9450QCP, HMC9400QCP, CM8P, CM7P, CM6 only

#### A.S.R. (Accurate Stitch Regulator)




The Accurate Stitch Regulator reacts to the movement of the fabric and provides the same stitch length for Free Motion, Ruler Work, or Echo quilting. The A.S.R. is like training wheels for your Free Motion Quilting. This device uses an optical sensor to ensure that your stitches are the same length as you are Free Motion Quilting. The sensor reads how fast you are moving the quilt under the needle so that it can adjust the stitches to remain the same length.

\*1 For use with CM17 \*2 For use with CM8P, HMC9480QCP


#### Contents


A.S.R. closed-toe foot ASR-QC A.S.R. closed-toe foot ASR-QO A.S.R. closed-toe foot ASR-QV A.S.R. closed-toe foot ASR-QR











Using the correct presser foot and accessory for the job at hand not only makes it easier to complete, but also lets you achieve more beautiful finished results. Further it means that you will have less strain on your eyes for a more enjoyable sewing experience. Let this catalog guide you to the right accessories to meet your sewing needs.

Use the handy quick reference guide to determine the compatibility of each accessory with your Janome sewing machine.




# GENERAL SEWING MACHINE ACCESSORIES

General sewing machines are versatile and user friendly. Let Janome presser feet and accessories expand your sewing repertoire.

#### STRAIGHT STITCH FOOT





200-331-009	A CDEF		ΒP
200-125-008	G		ВР
202-083-009	ı	IOPQ	ВР

The straight stitch foot is flat on the underside to provide even pressure against the feed dogs and it has a rounded needle hole which offers the benefit of more support around the needle to prevent skipped stitches and puckering.




ACUFEED STRAIGHT STITCH FOOT

202-102-005 N P BP

#### **APPLIQUE FOOT**






This presser foot is shorter than most for easier maneuvering around curves and corners when sewing applique pieces. Made of clear plastic for easier viewing as you sew.

202-023-001	A CDEF	ΒP
202-086-002	NOPQ	ВР

#### **SLIDING GUIDE FOOT**







This foot is ideal for seaming with a 5/8 inch allowance, and the adjustable seam guide allows precise edge stitching and hemming.

202-293-004	NOPQ	ВР
202-218-005	A CD	ВР

#### **ROLLER FOOT**






As its name suggests this foot has rollers that roll against the fabric and act very much like the track on a bulldozer for sewing up and over heavy seams and uneven surfaces. Ideal for sewing heavy fabrics, the rollers move freely between the foot and the feed dogs so that the foot rides easily over varying thicknesses. Also used to sew sticky leathers and vinyl.

200-316-008	A CDEF	ВР
200-142-001	G	ВР

#### **DARNING FOOT**





(REGULAR)

(,			
200-325-000	A C		ВР
200-349-000	DEF		ВР
200-127-000	G		ВР
859-839-002		NOPQ	NP


Sometimes referred to as the embroidery foot, the darning foot is used for 'free hand' embroidery and darning to ensure proper stitch formation, minimize skipped stitches and puckering and also protect your fingers while you move the fabric freely under the needle. Especially beneficial to those just learning how to do free hand embroidery. The open toe version greatly improves visibility of stitches and is especially popular with quilters.

(OPEN-TOE)

200-337-005	A C	ВР
200-340-001	DEF	ВР
202-314-002	NOPQ	BP

#### ULTRA GLIDE NEEDLE PLATE & ULTRA GLIDE FOOT







Molded from a special resin that allows easier sewing of sticky materials, the ultra glide foot moves smoothly over faux leather, ultra suede, vinyl and even plastics on the ultra glide needle plate. This non-stick attachment glides along with no drag so you can sew on these surfaces just like they were regular fabric.

#### (ULTRA GLIDE FOOT)

• -			
200-329-004	A CDEF		ВР
200-141-000	G		ВР
202-091-000		NOPQ	ВР

#### (ULTRA GLIDE NEEDLE PLATE & ULTRA GLIDE FOOT)

202-201-005	N*3OP*1Q	ВР
202-431-006	N*4 P*2	ВР

#### **HD ROLLER FOOT**



An innovative new foot that can smoothly control materials such as leather and vinyl which are prone to catch. When using this foot, the base of the needle is clearly visible, making your work easier.

202-418-007	A C	J	NOPQ	ВР	
-------------	-----	---	------	----	--

<sup>\*1</sup> excl. CM8P, CM7P, CM6 \*3 excl. CM17 \*2 For use with CM8P, CM7P, CM6 only \*4 For use with CM17 only



#### **SATIN STITCH FOOT**






For sewing dense zigzag stitching. The bottom of the foot is beveled for smooth delivery of thread when sewing decorative or satin stitches. Foot is made of clear plastic making it easier to view stitching.

822-804-129	A CDEF	NP
200-129-002	G*1	ВР
859-806-011	NOPQ	NP

<sup>\*1</sup> Foot is made of metal.

#### **GATHERING FOOT**







This foot is for creating soft gathers in lightweight fabrics. The underside of the foot is raised behind the needle and has a thick bar in front of the needle to gather and attach a ruffle onto a flat piece of fabric simultaneously. Use a ruffler to obtain a more dramatic gather.

200-315-007	A CDEF	ВР
200-124-007	G	ВP
202-096-005	NOPQ	ВР

#### **CUSTOM CRAFTED ZIGZAG FOOT**







200-137-003	A CDEF	ВР
859-813-000	NOPQ	NP






#### ACUFEED OPEN TOE FOOT

846-410-003	С			ВР
202-149-004		N	P	ВР

#### **BINDER FOOT**





The binder foot is used to apply pre-folded bias binding tape or bias tape you have cut yourself to the edge of fabric in one easy step. It is equipped with a small funnel to fold and guide the binding over the fabric edge before it reaches the needle and can be used with either zigzag or decorative stitches as well as straight stitch. 10 mm to 14 mm bias tape can be used.

200-313-005	A CDEF	ВР
200-140-009	G	BP
202-099-008	NOPQ	BP



#### **BI-LEVEL FOOT**



This foot enables sewing at a constant width from the fold of the fabric. It guides your top stitching and edge stitching perfectly.

Thick materials (e.g. wool, denim, tweed) can be finished.

202-504-001	Α	CD		ВР
202-461-005			NOPO	ВР

#### **TAPING GUIDE FOOT**



Use this foot for attaching tape to the edge of fabrics. Adjust the needle drop position with the thumb screw.

Guide the fabric with the left hand and tape with the right hand.

202-310-008	NOPQ	BP
202-311-009	A CDEF	BP

#### LAP-SEAM FOOT




This foot can provide perfect looking and durable seams on medium-heavy weight to heavy weight fabrics.

You can create beautiful lap-seams without ironing.

202-463-007   NOPQ   BF
-------------------------

#### **OVERCASTING FEET**







#### OVEREDGE FOOT

Use with an overcasting stitch to allow thread to wrap around the edge of the fabric to prevent unraveling. The foot guides the fabric and keeps your edges flat by compensating for the lack of friction when the needle makes the right-most stitch.

822-801-001	A CDEF	NP
200-132-008	G	BP

OVERCASTING FOOT / OVEREDGE FOOT Use with the overlock stitch to give a professional finish to the edges of your seams. Particularly good for finishing off medium to heavyweight, easily frayed woven fabrics such as tweed, gabardine, and linen.


822-808-008	A CD*1		NP
859-810-007		NOPQ	NP

<sup>\*1</sup> excl. MC3500, MC3000, 6260QC

#### **BLIND HEM FOOT**








Blind hemming can sometimes be a little bit tricky so the blind hem foot goes some way to helping improve this technique. The foot has a metal guide in the center and three grooves on the underside. During blind hemming, the fold of the fabric fits snugly against the guide in the foot for accuracy while the grooves underneath help to prevent unnecessary slipping. The needle swings over the metal guide creating slack in the upper tension so that the pick of the stitch is almost invisible.

825-817-009	A CDEF	NP	
820-817-015	A CDEF*1	NP	
200-130-006	G	ВР	
859-807-001	NOPQ	NP	

<sup>\*1</sup> Foot is equipped with a screw.

#### TRICOT FOOT






This foot privents puckering and fabric slippage on stretch fabrics.

202-509-006	G	RР



#### ZIPPER FOOT



This foot can be set to sew on each side of the zipper. The edge of the foot guides the zipper to ensure straight placement.

(SNAP ON)

808-852-003	A CDEF	NP
940-290-000	G	NP




Set the needle position left or right to sew on each side of the zipper.

(SNAP ON)

859-805-009	NOPQ	NP






Can also be used as piping foot for thicker piping including the heavy jumbo cord.

#### (SCREW ON)

200-334-002	A C	ВР
200-342-003	DEFG	BP




ACUFEED ZIPPER FOOT	4	CL	JFE	ED	ZΙ	PP	ER	FΟ	OT
---------------------	---	----	-----	----	----	----	----	----	----

	202-128-007	N P	ВР
--	-------------	-----	----

### CONCEAL® ZIPPER FOOT





(SNAP ON)

200-333-001	A CDEF	ВР
202-475-002	G	ВР
202-144-009	NOPQ	ВР

Good quality ready to wear garments will often have an invisible zip fitted. These zippers are often neglected by the home dressmaker which is a pity because they can ensure success every time. Invisible zips are suitable for all fabrics from fine silk jersey through to suit weight wools and tweeds. The key is to get the needle as close to the fastener as possible, which this foot accomplishes by slightly unrolling the zipper just before the needle. Once fitted, a well sewn invisible zipper will merely look like part of the seam.

(SCREW ON)

941-800-000	G	NP

CONCEAL is a registered trademark of YKK Corporation.

#### HEMMER FEET



The hemmer foot, sometimes referred to as the rolled hemmer, is used to stitch the narrow rolled hems usually found on shirt tails, table linens and along the edge of frills. The hemmer is designed with a scroll shaped feeder on top and a straight groove on the underside which determines the width of the finished hem. The 4 mm/6 mm set will allow for the use of heavier fabrics.

## HEMMER FEET SET (4 mm & 6 mm hems)

200-326-001	A CDEF	ВР	
-------------	--------	----	--

#### HEMMER FOOT(4 mm)

202-081-007 NOPQ BP


#### HEMMER FOOT(6 mm)

202-080-006	NOPQ	ВР
-------------	------	----




#### **ROLLED HEM FOOT**

820-809-014	A CDEF	NP
202-044-008	G	NP
859-804-008	NOPQ	NP



202-477-004	G	BP



### ROTARY EVEN FOOT

323-77-77 A CDEF CB

For use with all sewing machines, the rotary foot is effective for preventing stretchy fabrics, jersey and knitted fabrics and hard to feed materials like leather or vinyl, from slipping or puckering. The foot also allows left-right tilt and its caterpillars independently grip the fabric for perfect feeding along areas where there is a height difference between the left and right sides of the needle especially when hemming thicker fabrics.

\*When using zigzag stitch, set the stitch width at a setting less than 5mm. CAUTION: In order to avoid needle breakage, do not set stitch width at more than 5mm.



#### **BLIND HEM ATTACHMENT**



The blind hem attachment enables accurate feeding of the fabric to achieve a consistent blind hem.

#### **BIAS TAPE ATTACHMENT**



The bias tape sewing attachment is adjustable and enables you to attach folded bias tape up to 20 mm wide.


#### WIDE ROLLED HEM ATTACHMENTS



The wide rolled hem attachments enable wide rolled hems to be sewn in the following sizes: 1/2 inch, 3/4 inch, and 1 inch.

#### PIPING FOOT






If ready made piping cord is not available or if you just want to make your own, the piping foot is ideal for the job. The piping foot (sometimes mistakenly referred to as the cording foot) is designed with two grooves on the underside and will hold and cover the cord when making piping tape. It can also be used for attaching piping. Maximum cord size is 5 mm.

200-314-006	A CDEF	ВP
202-088-004	NOPQ	ВР

#### PIPING FOOT (NARROW)




This foot is used for piping with a cord diameter of about 2 mm.

It is useful for making narrow piping tape using the same fabric as the piece of work, or for attaching piping tape to fabric.

202-502-009	A CDEF	BP
202-462-006	NOPQ	BP

#### **RUFFLER**






Rufflers have been around for a very long time and have changed very little over the years; they have however remained very popular. Although at first sight a ruffler may appear bulky and complicated, its innovative design actually makes it very easy to use. This design allows fabric to be ruffled or pleated to the desired fullness quickly and easily and also has the capability to vary the sizes of ruffles.

943-100-000	A DEFG	СВ
846-415-008	A CDEFG	ВР
202-095-004	NOPQ	ВР



#### PINTUCKING FEET

The pintucking foot is used with a 2 mm twin needle to create multiple rows of pintucks. The grooves on the underside of the foot make it easy to stitch several rows parallel and evenly spaced from each other.



#### SET OF TWO FEET

(narrow grooved and wide grooved)

200-317-009 A CDEF BP

SINGLE FOOT (shallow grooved only)
200-328-003 G BP

PINTUCKING FOOT (narrow)

202-094-003 NOPQ BP

PINTUCKING (wide)

202-093-002 NOPQ BP

#### PINTUCKING CORD GUIDES


The cord guide is attached in place of the clear plastic bobbin cover to feed perle cotton or other cord as you sew for easier corded pintucks. Two guides are included in the set: one for cord up to 1.5 mm in diameter and one for cord 1.5 - 2.5 mm in diameter.



Part Number	Package	Remarks	Compatible Models						
503-813-008		Easy Set Bobbin System is not supported	Harmony 4045/4052	6019QC 6125QC	FD216/212/206 Sew Mini Platinum	МЗОА	3160QDC 2160DC 2030DC	4120QDC 5120QDC 4300QDC	TS100Q TS200Q
	CD.		502	503	508	805	808A/D/F/S/X	809A/AS	811A
	СВ		6260QC	MC6600P MC6500P	HMC8900QCP HMC8200QC	HMC12000	MC11000		
			845	846A/F	858F/G	859A	860		
200-324-009		Easy Set Bobbin BP System is not supported	MS5027 MS5021 CS5031 SC5021	Sewinst 625E 525S/521 725S/721	Easy Jeans 22 MyStyle 22	Jem Gold	Jem Gold2	MyExcel 4014/4018 4023/4123	HD2200 MyExcel 18/23
	ВР		505	507	654	660	661	751	753
			Décor 5124 5024 5018	Jem Platinum	DC4030	MC8000	MC9000	MC5700 MC5000	MC3500 MC3000
			757	806	807	830	832	834	840
			MC4800	DC4100	DC3018 DC3030 DC3060 DC8350	MC5200	MC4900	MC10000 MC10001	MC9500
			841	842	843	844	847	850	853
			MC9700						
		8	857						
202-213-000	Bobbin Syst	Motal Needla	5300QDC 5270QDC	M50QDC M100QDC M200QDC	Sewist 780DC 740DC	HMC8900QCP SE	HMC8200QCP SE	MC9900 MC9850	HMC14000 HMC15000 Skyline S9
		Plate	809AU/AU2	812	814	858F2	858G2	861	862A2/A3/S
		Bobbin System is required	Skyline S3/S5/S6/S7	HMC9450QCP HMC9400QCP	MC6700P MC6650	HMC9480QCP HMC9410QC	CM8P CM7P CM6	CM17	
			863	865	866	869	867	868	

#### **BEADING FOOT**





Sewing on strung beads and pearls has always been a tedious task but the beading foot now goes some small way to alleviating this and to add pleasure to embellishing. Popular for bridal wear, evening wear, smart/casual or crafts, the beading foot set is a blessing. There are two feet in the set: narrow groove for beads up to 2 mm in diameter and wide groove for beads 2.5 - 4 mm in diameter.

SET OF TWO FEET (narrow and wide)

200-321-006 A CDEF BP
-----------------------

#### BEADING FOOT (narrow)


202-097-006	NOPQ	ВP

BEADING FOOT (wide)

202-098-007 NOPQ BP

#### 3-WAY CORDING FOOT





The 3-way cording foot will hold one, two or three fine cords or threads. Because they are attached to the foot, the required design can be easily followed and the cords are perfectly placed. A variety of utility or decorative stitches can be sewn over the cords to couch them onto base fabrics. The choice of cord, thread and stitch are all contributory factors to the final effect.

200-345-006	A CDEF	ВР
200-126-009	G	BP
202-085-001	NOPQ	ВР

#### 9-HOLE CORDING FOOT






This foot enables you to attach up to 9 cords together by threading the cords through the 9 holes on the foot.
Use soft cords (Diameter approximately 1 mm).

202-506-003	NOPQ	ВР

#### RIBBON/SEQUIN FOOT






As with beads and pearls it is now so much easier to attach ribbons and even sequins with the help of our special ribbon/sequin foot. This foot is designed with guides through which ribbon or strung sequins can be inserted and it will allow them to feed through evenly as you sew. Besides affixing the ribbon, a wide ladder stitch can be used with narrow ribbon to make an easy and functional drawstring.

200-332-000	A CDEF	BP
202-090-009	NOPQ	ВР

#### **BUTTONHOLE FEET**





#### TRANSPARENT BUTTONHOLE FOOT

For sewing buttonholes on tight areas such as cuffs and other areas where more freedom of movement is required than available with a sliding-type buttonhole foot.

820-801-016	A CDEF		NP
202-082-008		NOPQ	BP

#### SLIDING BUTTONHOLE FOOT


For easy 4-step buttonholes on front loading machines. (Sliding buttonhole foot included as standard accessory on all sewing machines with a 1-step buttonhole function.)

(REGULAR)

(KLGOLAK)				
200-123-006	G	BP		
(WITH BUTTON SIZER)				
200-134-000	G	BP		

#### **BUTTON SEWING FOOT**





Quick and easy button sewing with the special button sewing foot. This foot has two bars that attach to the foot shank to provide extra stability and also has a textured, rubber sleeve to hold the button securely in place while sewing.

200-136-002	A CDEF	ВР
200-131-007	G	BP
859-811-008	NOPQ	NP

#### 1/4 INCH SEAM FOOT



A popular foot with patchworkers for that essential 1/4 inch seam. The guide on the foot enables you to sew a perfect 1/4 inch seam every time. The guide can also be used wherever a 1/4 inch seam is called for but the markings on the needle plate cannot be used, such as when completing a flat-felled seam.



200-318-000	A CDEF	ВР
200-330-008	G	ВР
859-814-012	NOPQ	NP




ACUFEED 1/4 INCH SEAM FOOT AND NEEDLE PLATE

846-407-007	С	ВР
-------------	---	----

\* The needle plate only compatible with MC6600P

ACUFEED QUIL	T PIECING FOOT	
202-031-002	С	ВР

# 1/4 INCH SEAM FOOT (WITHOUT GUIDE)




As with the 1/4 inch seam foot, this foot enables you to sew the 1/4 inch position by aligning the cloth with the edge of the presser foot.

Fabric can be fed stably using the wide area of the foot.

202-313-001	NOPO BP
-------------	---------

#### CLEAR VIEW 1/4 INCH SEAM FOOT



This foot allows you to sew 1/4 inch seam piecing, indispensable for quilt work, using the straight stitch needle plate.

The small single hole in both the plate and the foot ensures the most control over fabric possible and the least risk of threads or fabric getting caught in the feed dogs.


\*Must be used with a straight stitch in center needle drop position.

202-216-003	NOPQ	BP	
-------------	------	----	--

#### **DITCH QUILTING FOOT**



A very useful addition to the sewing room when wanting a perfectly straight "stitch in the ditch". The guide on the foot spreads the seams allowing you to stitch perfectly in the ditch, and is also useful when adding decorative top stitching along seams.




200-341-002	A CDEF	ВР
202-087-003	NOPQ	ВР



ACUFEED DITCH QUILTING FOOT

846-413-006	С		ВР
202-103-006	N	P	BP

#### CLEAR VIEW QUILTING FOOT AND GUIDE SET



(A)Clear view quilting foot (B)1/4 inch seam guide (C)Ditch quilting guide

An essential set for all quilters because it covers a range of quilting tasks through the attachment or removal of two fabric guides and the use of a clear view foot. Create accurate 1/4 inch seams with the 1/4 inch guide, or remove the guide to make a 1/8 inch seam for miniature piecing using the handy markings on the clear foot. To decorate your quilt, attach the center guide to ensure a neat "stitch in the ditch" for the perfect finishing touch.

200-449-001	A CDE		ВР
202-089-005		NOPQ	ВР



Simply attach the 1/4 inch fabric guide which aligns with the edge of the material to produce an accurate 1/4 inch seam with ease. The oval hole in the clear view foot allows for needle adjustment of up to 1 mm to create a scant 1/4 inch seam.



Add dimension to your quilt using the "stitch in the ditch" technique. The center guide attached to the foot spreads the seams to create perfect stitching in the ditch. Don't stop with straight ditch stitching – experiment with decorative stitches for eye-catching embellishment.




Some quilting techniques may require you to sew with some fabric under the fabric guide, so use the clear view foot without a guide to help the fabric move easily under the foot. The markings on the foot act as a guide for 1/4 inch and 1/8 inch seams.

#### **EVEN FEED FOOT**



The even feed foot, sometimes referred to as the walking foot, is designed with a set of feed dogs (teeth) which allow the fabric to feed without shifting and eliminates the problems of the underlayer of fabric coming up short. The even feed foot is great for topstitching which can be spoilt due to irregularity of stitching. Also includes metal quilting guide.




### EVEN FEED FOOT WITH QUILTING GUIDE (REGULAR)

200-309-008	A C	ВР
200-311-003	DEF	ВР
200-310-002	G	BP

# EVEN FEED FOOT WITH QUILTING GUIDE (OPEN TOE)


200-338-006	A C	ВР
200-339-007	DEF	ВР





CONVERTIBLE EVEN FEED FOOT SET The set includes even foot unit, open toe foot, ditch guilting guide and adjustable quilting guide bar.

214-516-003	Α		ВР
214-517-004	DE		ВР
202-133-005		0 Q	BP




DITCH QUILTING GUIDE AND ADJUSTABLE QUILTING GUIDE SET A separate quilting guide bar and ditch quilting guide bar set is available for those who already own the even feed foot.

214-518-005 For even feed foot BP

#### LONG QUILTING GUIDE BAR SET





This set includes two guides that can be attached to the left or right of the needle to create parallel rows of stitching approximately two times wider than rows made with the regular quilting guide. Just snap one of the guides into place at the back of the even feed foot and adjust the distance from the needle as required. The guides can also be inserted into a regular foot holder.

202-025-003	A CDEF	NOPQ	BP




#### 1/4 INCH RULER FOOT

The 1/4 INCH RULER FOOT was specifically designed to use with quilting rulers for ruler work.

The key point of the foot is the 1/4 INCH cup height which moves smoothly alongside the quilting ruler without allowing the ruler to slide over or under the foot.

202-442-000	DE		ВР
202-441-009	A C	OPQ	ВР

# CONVERTIBLE FREE MOTION QUILTING FOOT SET







This set includes three feet that can be used with a variety of fabrics for free motion quilting projects. Select the most appropriate foot for the task and attach to the foot holder with a quick screw adjustment. The height of all feet can also be adjusted so they glide effortlessly over layers of fabric.

202-001-003	A C	ВР
202-002-004	DE	ВР
202-146-001*		NOPQ BP

<sup>\*</sup> Please refer to the table below.

#### **CLOSED-TOE FOOT**



Convenient for lace and other fabrics that catch on an open toe, this general use foot is also good for holding the fabric in front of the needle.

#### **OPEN-TOE FOOT**



Also for general use, but with greater visibility around the needle to assist formation of a precise design.

#### **CLEAR VIEW FOOT**



The clear view foot moves smoothly over uneven layers such as fabric with cording or ribbon, and can also be used with zigzag stitches.

#### Ordinary sewing

	Foot	Closed-toe foot (L)	Open-toe foot (L)	Clear-view foot (L)	Clear-view foot (M)
Model		Closed-toe loot (L)	Open-toe root (L)	Clear-view loot (L)	Clear-view root (IVI)
859A	HORIZON MC12000				
858F	HMC8900QCP				
858G	HMC8200QC				
861A	MC9900				
861AL	MC9850				
862A	HORIZON	Feed dog: Down     Needle position: Left	Feed dog: Down     Needle position: Left	Feed dog: Down     Needle position: Left	• Feed dog: Down
862A2	MC15000				
862F	HORIZON MC14000				
863AU	Skyline S7				
863F	Skyline S6				
863A	Skyline S5				
862A3	HORIZON Quilt Maker MC15000				
862SA	Skyline S9				
865C	HMC9450QCP				
865A	HMC9400QCP				
866A	MC6700P	• Feed dog: Down	• Feed dog: Down	Feed dog: Down     Needle position: 1.0	
866D	MC6650	Needle position: Left	Needle position: Left	on: Left  Needle position: 1.0  ZigZag needle plate	Feed dog: Down
867A	СМ7Р				
867C	CM8P				
867CL	CM6				
869A	HMC9480QCP				
869AL	HMC9410QC				
868	CM17				

### Sewing application

	Foot/ Machine Setting	Closed-toe foot (L)								D I					
Model	Macinic Setting	Straight Stitch 1	Straight Stitch 2	Straight Stitch 3	Straight Stitch 4	ZigZag Stitch 1	ZigZag Stitch 2	Straight Stitch 1	Straight Stitch 2	Straight Stitch 3	Straight Stitch 4	ZigZag Stitch 1	ZigZag Stitch 2	Remarks	
859A	HMC12000	No	No	-	-	No	No	No	No	-	-	No	No		
861A	MC9900	No	No	-	-	No	-	No	No	-	-	No	-	Zigzag stitch1: Zigzag	
861AL	MC9850	No	No	-	-	No	-	No	No	-	-	No	-		
862A/A2/A3	HMC15000	No	No	-	-	No	No	No	No	-	-	No	No		
862F	HMC14000	No	No	-	-	No	No	No	No	-	-	No	No		
862SA	Skyline S9	No	No	-	-	No	No	No	No	-	-	No	No		
863AU	Skyline S7	No	No	-	-	No	No	No	No	-	-	No	No		
865C	HMC9450QCP	No	No	-	-	No	No	No	No	-	-	No	No		
865A	HMC9400QCP	No	No	-	-	No	No	No	No	-	-	No	No		
867A	СМ7Р	No	No	-	-	No	No	No	No	-	-	No	No		
867C	CM8P	No	Yes	No	No	No	No	No	Yes	No	No	No	No		
867CL	CM6	No	Yes	No	No	No	No	No	Yes	No	No	No	No		
869A	HMC9480QCP	No	Yes	No	No	No	No	No	Yes	No	No	No	No		
869AL	HMC9410QC	No	Yes	No	No	No	No	No	Yes	No	No	No	No		
868A	CM17	No	Yes	No	No	No	No	No	Yes	No	No	No	No		

	Foot/ Machine Setting		Clear-view foot (L)						(	Clear-viev	v foot (M	)			
Model	Machine Setting	Straight Stitch 1	Straight Stitch 2	Straight Stitch 3	Straight Stitch 4	ZigZag Stitch 1	ZigZag Stitch 2	Straight Stitch 1	Straight Stitch 2	Straight Stitch 3	Straight Stitch 4	ZigZag Stitch 1	ZigZag Stitch 2	Remarks	
859A	HMC12000	No	No	-	-	No	No	Yes	No	-	-	Yes	No		
861A	MC9900	No	No	-	-	No	-	-	-	-	-	No	-	Zigzag stitch1: Zigzag	
861AL	MC9850	No	No	-	-	No	-	-	-	-	-	No	-		
862A/A2/A3	HMC15000	No	No	-	-	No	No	Yes	No	-	-	Yes	No		
862F	HMC14000	No	No	-	-	No	No	Yes	No	-	-	Yes	No		
862SA	Skyline S9	No	No	-	-	No	No	Yes	No	-	-	Yes	No		
863AU	Skyline S7	No	No	-	-	No	No	Yes	No	-	-	Yes	No		
865C	HMC9450QCP	No	No	-	-	No	No	Yes	No	-	-	Yes	No		
865A	HMC9400QCP	No	No	-	-	No	No	Yes	No	-	-	Yes	No		
867A	СМ7Р	No	No	-	-	No	No	Yes	No	-	-	Yes	No		
867C	CM8P	No	Yes	No	No	No	No	No	Yes	No	No	No	No		
867CL	CM6	No	Yes	No	No	No	No	No	Yes	No	No	No	No		
869A	HMC9480QCP	No	Yes	No	No	No	No	No	Yes	No	No	No	No		
869AL	HMC9410QC	No	Yes	No	No	No	No	No	Yes	No	No	No	No		
868A	CM17	No	No	No	No	No	No	Yes	Yes	No	No	Yes	No		

### BOBBIN HOLDER FOR FREE QUILTING AND HAND-LOOK STITCHING





Couple the convertible FMQ foot with this handy bobbin holder preset with lower tension to make it even easier to achieve even tension control.

200-445-007	A C <sup>*1</sup>	$N^{4}OP^{2}Q$	BP	
-------------	-------------------	----------------	----	--

- \*1 also MC6500P, DC6030, 4120QDC and 3160QDC \*2 excl. CM8P, CM7P, CM6 \*4 excl. CM17


202-006-008	D	ВР

- \*3 For use with CM8P, CM7P, CM6 only \*5 For use with CM17 only

202-433-008

#### FREE MOTION COUCHING FOOT SET






Enjoy embellishing your work with cords, strips and yarns by free-motion stitching. Zigzag stitch makes it easy to sew on any line or shape precisely. Two different feet are included to match material thickness.

202-110-006 A C NOPQ BP	2
-------------------------	---

#### **BORDER GUIDE FOOT**






Create evenly spaced rows of decorative stitching with this border guide set. The horizontal red line matches up the needle drop of each row and the vertical red lines allow accurate positioning of one row with another.

200-434-003	A CDEF	BP
202-084-000	NOPQ	BP


#### **BUTTONHOLE STABILIZER PLATE**






With the buttonhole foot R attached to the buttonhole stabilizer plate, the machine feeds various kinds of fabric and uneven layers more smoothly instead of eating the fabric or causing the needle to stick in position.

# LARGE BUTTONHOLE FOOT AND STABILIZER PLATE



#### **RIBBON SEWING GUIDE**



Create original ribbons by adding decorative stitching or lettering. The guide's design ensures easy attachment and automatic centering, while the transparent stabilizer bar provides perfect control. Add originality to projects and make the most of your machine's decorative stitches.

200-444-408	A CDEF	NOPQ	BP
-------------	--------	------	----

#### FRINGING FOOT




The fringing foot is designed for fagoting and sewing thread fringe. This decorative touch is especially effective in applique work. The foot has a small divider in it so that when you make a wide zig-zag stitch, you will wind up with a very large loop. Then simply cut the loop close to one side of the stitches. whichever side you want the fringe to be free on, and you'll have made your own thread fringe!

200-016-108	A C	СВ
200-017-109	DEF	СВ

#### **EDGE GUIDE FOOT**






The guide of this foot aligns edges/seams of fabric so that neatly parallel edge stitching and topstitching can be achieved with ease. Adjust the guide by turning the screw to match the edge/seam precisely.

202-147-002		A CD		ВР
202-100-003	;		NOPQ	ВР

#### **CIRCULAR ATTACHMENT**





The circular attachment is the ideal attachment for sewing circles using either straight stitch, zigzag, decorative stitches or even lettering. Circles up to 26 cm in diameter are stitched perfectly using this popular attachment so essential for craft and decorative work.

Part Number	Package	Remarks			Со	mpatible Models			
			Harmony 4045/4052	6019QC 6125QC	FD216/212/206 Sew Mini Platinum	M30A	3160QDC 2160DC 2030DC	4120QDC 5120QDC 4300QDC	TS100Q TS200Q
202-106-009	BP	Easy Set Bobbin	502	503	508	805	808A/D/F/S/X	809A/AS	811A
	вР	System is not supported	6260QC	MC6600P MC6500P	HMC8900QCP HMC8200QC	HMC12000	MC11000		
			845	846A/F	858F/G	859A	860	5120QDC 4300QDC 809A/AS HD2200 MyExcel 18/23 753 MC3500/3000 840 MC9500 853	
			MS5027 MS5021 CS5031 SC5021	Easy Jeans 22 My Style 22	Jem Gold	Jem Gold2	MyExcel 4014/4018 4023/4123		Décor 5124 5024 5018
	BP	Easy Set Bobbin System	505	654	660	661	751	753	757
202-107-000			Jem Platinum	DC4030	MC8000	MC9000	MC5700 MC5000	MC3500/3000	MC4800
		is not supported	806	807	830	832	834	840	841
			DC4100	DC3018 DC3030 DC3060 DC8350	MC5200	MC4900	MC10000 MC10001	MC9500	MC9700
			842	843	844	847	850	853	857
		Metal Needle	5300QDC 5270QDC	M50QDC M100QDC M200QDC	Sewist 780DC 740DC	HMC8900QCP SE	HMC8200QCP SE		HMC14000 HMC15000 Skyline S9
202 125 667	DD.	Plate	809AU/AU2	812	814	858F2	858G2	861	862A2/A3/S
202-135-007	BP	with Easy Set Bobbin System is required	Skyline S3/S5/S6/S7	HMC9450QCP HMC9400QCP	MC6700P MC6650	HMC9480QCP HMC9410QC	CM8P CM7P CM6	CM17	
			863	865	866	869	867	868	

## BOBBIN HOLDER (high tension for embroidery use)






This bobbin holder creates easy-to-adjust thread tension when embroidering with non-Janome bobbin thread. The bobbin holder is marked with a YELLOW dot for identification.

202-134-006	AB*1	N*30	BP
627-569-704	B*2		NP

- \*1 MC350E only
- \*2 MC300E. MC200E \*3 excl.CM17

## **QUILT BINDER SET**





Use the quilt binder set to produce 1/2 inch binding which can handle quilt fabric and other thick fabrics. Adjust the two upper screws to align the binding's top and bottom folds with the needle for extra precision. The set creates straight line binding for large quilts and also adds an eyecatching accent to any small items such as placemats and hot pads.

846-421-007	A C*1	ВР	*1 also MC6500P
202-211-008	NOPO	ВР	

## **FLOWER STITCHER**



Even when using sewing machines without a large number of stitches, this attachment will allow you to produce unique and pretty flower designs and also eyelets, with ease.

		$\overline{}$	
202-261-003	DEF	BP	




Janome overlockers are known for their ease of use and beautiful serging results. Specialized overlocker feet and accessories are designed to give you the effect you want even on stretchy and thin fabrics.

## CORDING FOOT (B)



Used in conjunction with the narrow hem, the cording foot B allows you to insert decorative cording as you stitch. This will give fine beautiful finished edges to table and other linens.




202-035-006 H BF



## TAPING FOOT WITH REEL




This attachment consists of a taping foot and a tape reel and is useful when sewing garments in knit or stretch fabric. It will help to feed seam binding tape when sewing shoulder seams and armholes to prevent stretching in these areas.



## **BLIND STITCH FOOT**




Blind hemming is never an easy technique and demands practice and patience. It is possible to use your overlocker to blind hem and the blind stitch foot is equipped with a guide to help keep your stitching straight.



## **ELASTIC GATHERING ATTACHMENT**




Stitching on elastic can sometimes be a little tricky especially when you have to stretch your elastic to size. The elastic foot helps make this technique a little easier to handle.



## CORDING FOOT (A)






With the rolled hem facility on your machine you can make great use of the cording foot A. This foot is ideal for bridal and evening wear and allows you to insert fine fishing line while rolling the edge of your material giving you a beautiful firm but flexible finish.

202-034-005	Н	BP
-------------	---	----

## **BEADING FOOT**






The beading attachment comprises a special sewing foot and guide enabling you to sew strung beads onto the edge of your fabric. Especially attractive for bridal wear.

202-041-108	H*1	BP

<sup>\*1</sup> excl. 134D, 234, 234D, 534D

## **WASTE CHIP BOX**






1/pkg		
202-456-409	H	І СВ
10/pkg		
202-456-708	H	І СВ
20/pkg		
202-456-801	H	СВ СВ
*For use with 8002D, 91	02D only	

## PIPING FEET





If ready made piping is not available or if you just want to make your own, the piping foot is ideal, making the task quick and easy. The piping foot is available in two sizes: 1/8 inch and 3/16 inch.


SET OF TWO FEET (1/8 inch and 3/16 inch)

202-039-000	H*	ВР

<sup>\*3/16</sup> INCH FOOT NOT COMPATIBLE WITH 134D, 234, 234D, 534D

## **CLOTH GUIDE**






As its name suggests, this guide helps keep your seams straight as you sew. Especially useful on flatlock seams and other seams where the knife is lowered.

202-038-009	H*	BP	* excl. 134D, 234, 234D, 534D
-------------	----	----	-------------------------------

## **GATHERING ATTACHMENT**





This attachment creates wonderful even gathers. Especially useful when sewing large amounts of fabric, i.e. bed linens and bridal gowns. With the help of this super attachment you can also gather and sew onto a flat piece of fabric in one easy operation.

202-036-100	H* BP	* excl. 134D, 234, 234D, 534D
-------------	-------	-------------------------------




# COVER STITCH MACHINE ACCESSORIES

Janome has developed a number of accessories to use with the CoverPro series of cover stitch machines. These accessories make it even easier to create beautiful garments from knits and other stretch fabrics.

## **CLEAR VIEW COVER STITCH FOOT**






The clear view foot gives you a better view of what you are sewing. It is especially useful for decorative topstitching and can also be used with other attachments such as the hemming guide to match up the end of a hem seam with its start for a beautiful finish. Handy markings on the front edge of the foot correspond with needles for perfect stitch alignment.

for 3 needles	795-818-107	I	ВР
for 2 needles	795-821-103	I	ВP

## **HEM GUIDE**





#### Type 1

The Hem Guide Type 1 folds over a consistent width of fabric for creating cover stitch hems, resulting in straighter hems. The Hem Guide also aids in attaching lace in garment and home decor applications. The guide allows you to create 5/8" - 13/4" hems.


## Type 2

The Hem Guide Type 2 folds over a consistent width of fabric for you, making it easy to form hems, cuffs and other finished edges. When sewing the hem of a tubular item such as a skirt, you can press the release button as you near the finish to release the guide and then finish the rest of the hem.

795-839-104	ı	ВР	
-------------	---	----	--

## **ELASTIC GATHERING ATTACHMENT**






The elastic gathering attachment allows easy attachment of elastic tape for waists and cuffs, which is especially useful for making undergarments and children's clothing. The wide workspace of the CoverPro means you can even add a bit of elastic in the middle of a garment, for example, to the waist of a dress.

narrow (6 - 8.5 mm)	795-816-105	I	ВР
wide (9 - 13.5 mm)	795-817-106	I	ВР

## **CENTER GUIDE FOOT**







The center guide foot is used for lining up the center of a two or three-needle stitch with a previously sewn seam. This attachment is especially useful on sportswear and allows you to tack down already sewn seams, give extra strength to seams that come under strain or simply give a finished decorative effect.

for 3 needles	795-819-108	I	ВР
for 2 needles	795-820-102	1	BP

## ADJUSTABLE SEAM GUIDE





This seam guide is used to sew perfectly placed seams with accurate spacing between the lines.

795-806-102	I	ВР
-------------	---	----


## **TAPE BINDER**

The tape binder is used for finishing and covering the raw edges of stretch fabrics. The binder folds the fabric you wish to use as tape around the raw edge as you sew, allowing you to make beautifully finished necks and arm holes and bind any raw edge with ease.

Contents Binder and binder plate Binder foot Screw



for 3 needles (32 mm/8 mm)	795-838-103	I	BP
for 3 needles (42 mm/12 mm)	795-844-009	1	BP
for 2 needles (32 mm/8 mm)	795-840-108	I	BP
for 2 needles (42 mm/12 mm)	795-843-008	ļ	ВР





Insert the fabric to be used as tape through the tape guide.



Guide the tape through the tape guide by gently pulling the end with the tip of the tweezers.



Pull out the end while using the tweezers tip to help insert the tape between the upper and lower guides at the end of the tube, and then slide the tape under the presser foot.

## TAPE BINDER AND BINDER FOOT WITH GUIDE



This binder set can be used to create a beautiful binder finish like on readymade Tshirts.

It is the most popular set among optional attachments for cover stitch sewing machines.

Tape Binder (Double Fold 8mm) and Binder Foot with Guide (finished with 8 mm for 32 mm tape)
\*Use only the right needle.

Wide Table Binder (Double Fold 12 mm) and Binder Foot with Guide (finished with 12 mm for 42 mm tape)
\*Use only the right and center needles.

ВР

ose only the right heedle.

202-327-008 I BP 202-328-009 I


## BINDER FOOT WITH GUIDE



This foot gives you a better view and guide is added for ease of use.

|--|

## **TAPE STAND**



As the tape can be supplied at the same height to the tape guide of the tape binder by using this tape stand with the tape binder, it feeds smoothly even when using very soft fabric allowing beautiful finishes to be achieved.

202-323-004	I	BP
-------------	---	----

## BIAS TAPE GUIDE AND BELT LOOP FOLDER



This attachment can be used in two ways:as a "Bias Tape Guide" that can guide bias tape (single fold) and sew it on to knit fabric, and as a "Belt Loop Folder" that can make belt loops from fabric tape. This attachment is useful for creating various types of sewing work.

202-464-008	I	BP	
-------------	---	----	--




PROFESSIONAL OVERLOCK AND COVER STITCH MACHINE ACCESSORIES

Ready to wear details and decorative accents are easily duplicable with Janome's combined overlock and cover stitch machine accessory range. Create the look you want the way you want it.



## **GATHERING FOOT**







With the gathering foot it's easy to create the gather you want. The bottom fabric is gathered, seamed and overcast to a flat top fabric all in one easy operation.

200-807-104 M BP

## **BLIND STITCH FOOT**






The adjustable guide on the blind stitch foot ensures that any weight of fabric is trimmed, overlocked and invisibly hemmed in one quick step. Change the stitch and it becomes a wonderful guide for decorative pintucks, lacy fagoting or flatlocking as seen in ready to wear.

200-806-103 M BP

## **BEADING FOOT**






Beaded trims add that special touch to any project. Deep grooves on the bottom of the pearl foot guide strands of pearls or beads perfectly into place and are secured with a flatlock stitch.

200-809-106 M BP





# COVER HEM FOOT, LACE ATTACHMENT, HEM & WRAPPED EDGE GUIDES




This set will save you a lot of time and trouble by making light work of hems. It offers three different ways to finish the edges of fabric, whether it's making a basic hem, decorating a hem with lace or creating a bias tape finish. Use for a multitude of projects.

200-001-407 M BP	200-801-407	M	BP
------------------	-------------	---	----

#### (coverhem only)

## COVER HEM FOOT AND LACE ATTACHMENT









Efficient and clever, this guide folds perfect 6 mm (1/4 inch) edges. At the same moment it's hemming, it attaches lace or trim placed underneath. Use with the cover hem foot.

## COVER HEM FOOT AND HEM GUIDE







Hem edges evenly without measuring, pinning or pressing. Simply insert the fabric and the guide automatically folds and creates a 2.5 cm (1 inch) hem. Use with the cover hem foot.

## **COVER HEM FOOT WRAPPED EDGE GUIDE**








This guide creates the look of bias tape. In addition, it also attaches pre-made bias tape. Hem edges evenly without measuring, pinning or pressing and duplicate ready-to-wear details easily.

## **BIAS TAPE FOOT**







This adjustable foot allows you to attach 10 mm to 40 mm wide bias tape. Creating the look you want has never been easier.

п			
	200-810-100	M	BP



## **BELT LOOP FOOT**





Easily duplicate the belt loops found in the garment industry using a wide or triple cover hem stitch. This foot automatically folds under bias strip edges for belt loops, decorative accents, button loops, narrow straps, etc. The possibilities are limited only by your imagination.

200-808-105	M	ΒP
	(coverhem	only)




## HIGH SPEED MACHINE ACCESSORIES

Janome high speed sewing machines sew at a maximum 1,600 stitches per minute, the fastest on the market. Everything on these sewing and quilting machines is built for high quality stitches at professional speeds, including the specialized accessories and presser feet.

## **ULTRA GLIDE FOOT**





Molded from a special resin for easy sewing of fabrics that might stick to a metal foot, the ultra glide foot is perfect for sewing ultra suede, vinyl and imitation leather.

767-404-028	J	BP
-------------	---	----


## **HD ROLLER FOOT**




An innovative new foot that can smoothly control materials such as leather and vinyl which are prone to catch. When using this foot, the base of the needle is clearly visible, making your work easier.

202-418-007 A C J NOPQ BP
---------------------------


## SPECIALIZED STRAIGHT STITCH FEET





## NARROW STRAIGHT STITCH FOOT

This foot is only 2 mm wide from the needle drop to the edge of the foot making it convenient for narrow topstitching especially on areas such as collars and pockets.




# STRAIGHT STITCH FOOT AND NEEDLE PLATE FOR FINE FABRICS

The specialized foot and needle plate work together to provide optimal feeding of fine fabrics.

767-405-007	J	BP
-------------	---	----

## **VELVET FOOT**







The velvet foot only slightly touches the needle plate when the foot is lowered to obtain perfect sewing without bruising the specialty fabrics.

767-407-102	J	NP	
-------------	---	----	--

## 1/4 INCH SEAM FOOT







The side guide allows you to sew a 1/4 inch seam allowance quickly and accurately. Great for piecing quilts and topstitching.

767-820-105	J	ВР
-------------	---	----

## **DITCH QUILTING FOOT**





Use this foot for perfect placement when stitching in the ditch. The guide follows the seamline keeping the stitch line perfectly straight.

767-824-109	J	BP	
-------------	---	----	--

## **HEMMER FOOT**



The hemmer foot can be sewn into the rolled hems with constant width.

761-172-004	1	NP

## CORDING / ZIPPER FOOT

This foot allows you to stitch in very close to zippers or thin cording precisely to the sewing projects.





RIGHT 767-414-009	J	NP
-------------------	---	----

LEFT 767-415-000	,	NP
LEFT 767-415-000	J	NP

## **SHIRRING FOOT**


The shirring foot gathers one layer of the fabric. A lower stitch length is perfect for easing curves. Increase the stitch length for a more dramatic effect with more gathers, perfect for gathering lace and shirring light weight fabrics.



767-416-001 J NP

## **EVEN FEED FOOT**






The even feed foot walks over fabric to assist with smooth feeding. Fabric can be sewn without puckering as the fabric is gripped and fed by both the upper and lower feed dogs. This foot has been specially designed for durability and to work at the high speeds of the 1600 series.

767-403-016	J	ВР	
-------------	---	----	--

## DARNING FOOT WITH DARNING PLATE








The spring loaded foot can be used for free motion stippling, quilting and free form monogramming. The darning plate is placed over the existing needle plate to cover the feed dogs.

767-827-009	l j	ВР

## **TAPING FOOT**






Use this foot for attaching tape to the edge of fabrics. Adjust the needle drop position with the thumb screw. Guide the fabric with the left hand and tape with the right hand.

767-412-018	J	ВР	
-------------	---	----	--

## ADJUSTABLE ZIPPER FOOT






This foot can be set to sew on each side of the zipper by adjusting the position of the foot and tightening the thumb screw. Also great for sewing close to piping.

767-408-011	J	ВР
-------------	---	----

## CONCEAL® ZIPPER FOOT








This foot can be used for placement of invisible zippers. The grooves underneath accommodate the zipper teeth and hold them in place while you stitch.

767-410-016	J	BF

 ${\tt CONCEAL}\ is\ a\ registered\ trademark\ of\ YKK\ Corporation.$ 

## ADJUSTABLE SEAM GUIDE






This seam guide is used to sew perfectly placed seams with accurate spacing between the lines.

767-411-017 J BP

## CONVERTIBLE FREE MOTION QUILTING FOOT SET



An exciting free-motion quilting presser foot set for the straight stitch machine. The feet are streamlined for improved visibility and a darning plate is also provided for table top free-motion quilting. The industrial construction reduces vibration and provides professional-level durability.







For general use and especially well suited for lace and other catchable fabrics.

Also for general use, but the open-toe design provides greater visibility around the needle to assist in the formation of a precise design.



## FREE MOTION FRAME QUILTING FEET SET





This set has been specifically designed to support quilters who use quilting frames with the 1600P series. The set consists of a 1/4 inch ruler foot and an open-toe frame quilting foot.

767-434-005	J	BP
-------------	---	----




This open-toe foot has an opening that faces sideways to provide a clear view of your work when standing at the handles of a quilt frame.



The 1/4 inch ruler foot has a high 'heel' and 1/2 inch diameter for free-motion quilting with 1/4 inch thick quilt rulers and long arm quilting templates.

## 1/4 INCH RULER FOOT SET



The 1/4 INCH RULER FOOT was specifically designed to use with quilting rulers for ruler work.

The key point of the foot is the 1/4 INCH cup height which moves smoothly alongside the quilting ruler without allowing the ruler to slide over or under the foot.

The needle drops a 1/4 INCH away from the ruler to create the quilting line.

\*This set includes a needle plate.

767-441-005	J	ВP



# NEEDLE PUNCHING

Discover the ancient art of felting, and unleash your artistic potential.

Felting uses barbed needles to interweave two or more fibers, blending their colors and textures to create a completely new and unique material, without thread or bobbin. For centuries, fabric artists have felted by hand, a painstaking and inexact process. With a dedicated felting or needle punching machine, you can master this art in minutes, and achieve professional-looking results with ease.



## 1

## Needles do the Work

There is no thread or bobbin mechanism involved. Instead, these sharp needles have barbs that catch the fibers of the fabrics and push them down through the layers.



## Five-Hole Design

The needle holes in the base plate keep fabric in place, help the needles penetrate multiple layers and prevent fabric munching.



## Room for Multiple Layers

The see-through adjustable presser foot allows you to manipulate multiple layers.



## Extended Range of Needle Units

Multiple needle units to deal with a variety of felting situations.

Single needle (fixed) unit

725-810-009	K	NP
Five needle (fix	ed) unit	
725-607-104*	К	NP

Needle unit with presser foot including five needle (replaceable) unit

	,		
725-822-004		K	ВР



#### Two Needle Sizes

Vary your finishes with different sized needles for use with the five needle (replaceable) unit.

Standard needle refill (10 pcs./set)

725-807-003* K		NP
Fine needle refill (10 pcs./set)		
725-831-006*	К	NP


★ In a plastic case

## Explore the creative possibilities!

Fabric Scraps



**Novelty Yarns** 



Variegated Colors



Roving



Ribbons and Lace









# Endless possibilities with your materials

You can use almost any fabric, yarn or other material for endless variety in your work. Create soft-edged effects in your favorite colors with yarn or roving (un-spun fiber), or make a collage effect by combining these materials with ribbon, lace and other textiles. Enjoy the chance to experiment and discover a whole range of effects that will compliment and enhance all kinds of items.

## Different needles for even more effects

Enjoy combining the technique of needle punching with embroidery and decorative stitching to give added color, texture and dimension to clothes and accessories, and to provide eye-catching accents.

You can experiment with the number and thickness of needles to create a variety of finishes depending on the material. JANOME Fine Needles make a denser felt and are ideal for delicate or precise work.



## Totally unique accessories

Create one of a kind items from scratch by making your own original felted fabric. The JANOME Changeable Needle Unit allows for individual needle replacement, so even if a needle breaks during long periods of use, it can be replaced. This means more flexible and economical use.



From basic accessories like needles, bobbins and bobbin cases to items such as spool stands which expand the creative possibilities of your sewing machine, Janome is dedicated to providing you with high quality accessories that are easy to use.



## NEEDLES

No matter how advanced or sophisticated the sewing machine has become, the basic principle of selecting the correct needle to be used must still apply. Quite simply, the finer the fabric the finer the needle, the heavier the fabric the heavier the needle, but whether fine or heavy it is important to replace your needles regularly.

#### **ASSORTED SEWING NEEDLES**



#### Contents

- •Blue Tip needle x 1
- •#75/11 regular type needle x 2
- •#90/14 regular type needle x 2

200-135-001 ABCDEFG NOPQ BP



## Contents

- •Blue Tip needle x 2
- •Purple Tip needle x 1
- •Red Tip needle x 1
- •Twin needle x 1

859-856-005 ABCDEFG NOPQ NP



## Contents

- •Blue Tip needle x 1
- •#75/11 regular type needle x 2
- #90/14 regular type needle x 1
- •Twin needle x 1

820-827-007 ABCDEFG NOPQ NP

#### **BLUE TIP NEEDLES**



The Blue Tip needle, a Janome exclusive, is a size #75/11 needle and is our best "all purpose" needle for both machine embroidery and general sewing including the sewing of knit fabrics. It features a ball point tip\* which helps to create neat and tidy stitches.

200-346-007 ABCDEFGH NOPQ NP

#### **PURPLE TIP NEEDLES**



The purple tip needle is a #90/14 size needle that prevents skipped stitches in heavy fabrics including knits in ordinary sewing and when embroidering. It features a ball point tip\* which helps to create neat and tidy stitches.

#### Uses -

- •Embroidery with high density designs and/or thick fabrics
- •Use with fluffy threads like cotton
- Quilting through multiple layers
- •Normal sewing for shrink fabrics such as knits and tricot or synthetic fabrics such polyester

202-122-001

ABCDEFGH NOPQ BP

<sup>\*</sup>The ball point tip is especially useful when sewing knitted fabric and synthetic fabric as it prevents fabric thread breakage.

#### **BALL POINT NEEDLES**



This pack contains 2 size #11/75 and 3 size #14/90 ball point needles. The ball point needle is made especially for stretch and elastic materials and knit fabrics, and is also ideal for overlock machines.

ADCDEECH NODO NO	784-860-	-100		
ABCDEFGH NOPQ N	ABCDEFGH	NOF	Q	NP

#### **RED TIP NEEDLES**

The red tip needle is a #90/14 size needle and is for general sewing and for embroidery of medium to heavy fabrics.



990-314-109 ABCDEFG NOPQ BP

#### **TOP STITCH NEEDLES**

The top stitch needles has a large eye and a wide groove to accommodate heavy top stitching thread.



Assorted #11/75 & #14/90 5/pkg

990-500-000

ABCDEFG NOPQ NP




#11/75 5/pkg

990-511	-000		
ABCDEFG	NOP	Q	ΝP

## **CUTWORK NEEDLE SET**



This set contains 4colorcoded needles with the following cutting angles:



#### **CUTWORK NEEDLE HOLDER**



The Cutwork Needle Holder allows you to safely replace the Cutwork needles without injuring yourself with the tip of the Cutwork needle.

862-402-3	301	
	N	NP
Tavel HMC12000		

Model	Needle Type	Part Number	Category	Package
B II B · · · · · · · · · · · · · · · · ·	HA15x1SP Ball point assorted (5/pkg)	990-200-000	ABCDEFGH NOPQ	Needle case
Ball Point for Sewing machines and Overlockers	HA15x1SP Ball point size 75/11 (5/pkg)	990-211-000	ABCDEFGH NOPQ	Needle case
and Overlockers	HA15x1SP Ball point size 90/14 (5/pkg)	990-214-000	ABCDEFGH NOPQ	Needle case
	Assorted 80/12 & 90/14 (5/pkg)	795-802-108	I	BP
CoverPro	Size 80/12 (5/pkg)	795-807-103	I	BP
	Size 90/14 (5/pkg)	795-808-104	I	BP
	HLx5 size 65/9 (10/pkg)	767-811-000	J	BP
1600P	HLx5 size 75/11 (10/pkg)	767-812-001	J	BP
	HLx5 size 90/14 (10/pkg)	767-813-002	J	BP
	HLx5 size 100/16 (10/pkg)	767-814-003	J	BP
	DBx1 size 65/9 (10/pkg)	767-807-003	J	BP
1600P-DB 1600P-DBX	DBx1 size 75/11 (10/pkg)	767-808-004	J	BP
HD9P	DBx1 size 90/14 (10/pkg)	767-809-005	J	BP
	DBx1 size 100/16(10/pkg)	767-810-009	J	BP
MB-4 MB-4s MB-7	Embroidery needles (10/Pkg)	770-811-000	L	Paper bag



## FM725 CHANGEABLE NEEDLE UNIT

THE STATE	
725-822-004	
K	ВР



FM725 FIXED FIVE FELTING NEEDLE UNIT

725-607-104\* K NP



FM725 FIXED SINGLE FELTING NEEDLE UNIT

725-810-009\* K NP



## FM725 NEEDLE REFILLS

single needle refills 3/pkg

725-811-00	0*
K	NP

5/pkg

, , ,		
725-829	-00	1*
	K	ΝP

10/pkg

725-807-00	3*
K	NP

fine needle refills 10/pkg

725-831-00	16*
	NP

★ In a plastic case

# OTHER ACCESSORIES



The patented Clothsetter has taken the guesswork out of positioning your embroidery. It ensures perfect placement of single designs on your project and multiple designs within the same hoop or between multiple hoopings. It's so easy, and only Janome has it. This dual function tool converts quickly into a large extension table providing extra support for all your large sewing and quilting projects.

## CLOTH SETTER for HMC15000/HMC12000/MC9900/ MC550E/MC500E/MC400E





## UNIVERSAL TABLE STAND

Machines can sit in the table stably, with an insert plate filling the remaining space to provide a large, flat sewing surface. Not only is there more work space, but the table helps sewing progress smoothly by preventing excess fabric from dangling down and interfering with your work. It accommodates the knee lifter, contains a drawer and offers a generous formica-finished sewing surface.



#### UNIVERSAL TABLE STAND WITH DRAWER

494-710-003 A C N\*10P\*2Q CB



## UNIVERSAL TABLE STAND WITHOUT DRAWER

494-708-101 A C N\*10P\*2Q CB




#### DRAWER

494-708-204 A C N\*10P\*2Q CB 

#### **INSERT PLATE**





#### **INSERT PLATE-A FOR HORIZON SERIES**

494-401-101			
C *1	N*2P	СВ	
*1 excl.MC6600P	*2 HMC12	2000	on

#### INSERT PLATE-E FOR HMC15000

494-406-106	
N*5	СВ

\*5 HMC15000 only

#### **INSERT PLATE-B FOR** MC6600P/MC6500P

494-402-10	02
C*3D*4	СВ
*3 avel HMC77000CP	*4 MC6500P only

#### **INSERT PLATE-F FOR SKYLINE & ATELIER SERIES**

494-407-107	
Q	СВ

#### INSERT PLATE-C FOR MC11000/MC11000SE

494-403-103	
Α	СВ

#### INSERT PLATE-G FOR HMC9480QCP/HMC9410QC/ HMC9450QCP/HMC9400QCP

494-408-108		
P*6	СВ	

\*6 For use with HMC9480QCP, HMC9410QC, HMC9450QCP, HMC9400QCP only

#### **INSERT PLATE-D FOR** MC9900

494-405-105	
0	СВ

#### **INSERT PLATE-H FOR** MC6700P

494-712-005	
P*7	СВ
+7 For use with MC6700B and	

## UNIVERSAL TABLE STAND FOR CONTINENTAL SERIES



## UNIVERSAL TABLE STAND WITH DRAWER

494-719-002	N*1 P*2 CB	
*1 For use with CM17 only	*2 For use with CM8P, CM7P, CM6 only	

#### **INSERT PLATE-K FOR CONTINENTAL SERIES**

494-411-104		N*1P*2	CB	
±1 F	1.	+2 For use with CMOD	CMAZD	CMAC and

<sup>\*1</sup> For use with CM17 only \*2 For use with CM8P, CM7P, CM6 on

## UNIVERSAL TABLE STAND FOR HIGH SPEED STRAIGHT STITCH MODELS





## SIDE TABLE STAND UNIT



This table is useful for any type of sewing. Place embroidery machines or overlockers on the table to secure more work space. Can also be used in combination with the universal table stand as a quilt side table and/or just to provide extra space for ironing, cutting fabrics or other activities. Comes with side pockets.

494-709-009 ABCDEFGHIJKLMNOPQ CB

## **BRUSH-OUT EMBROIDERY KIT**



Brush-out embroidery uses yarn which can be fluffed up after sewing to create a soft, three-dimensional finish. The Brush-Out Embroidery kit includes a special foot and brush and is designed for use with the Brush-Out Embroidery Design CD-ROM from Stitchitize.

200-383-006	A B	BP	
-------------	-----	----	--

## **EMBROIDERY COUCHING FOOT SET**



The Embroidery Couching Foot Set includes 2 feet for using different yarn weights, a yarn guide arm that attaches to the extra spool pin hole on the top of the machine, plus instructions on How-to-use this foot set.

202-316-004	B *1	ВР
202-297-008	N*2	<sup>2</sup> BP

<sup>\*1</sup> For use with MC550E, MC500E, MC450E and MC400E only

## LARGE EMBROIDERY DESIGN COLLECTION



Large Embroidery Collection comes with a USB flash drive containing 30 embroidery designs.

202-295-006	B*1	N*2	C	В	
*1 excl. MC400E, MC350E, MC300E, MC200E					

\*2 excl. Skyline S9

<sup>\*2</sup> excl. HMC12000

## **EMBROIDERY THREAD**

200-920-001 CB No.1 Part Number



Part Number

No.2

No.3	Part Number	200-920-207	СВ
------	-------------	-------------	----





200-920-104 CB



No.	Color		
001	WHITE		
002	BLACK		
003	GOLD		
201	PINK		
202	VERMILION		
203	ORANGE		
204	YELLOW		
205	DARK BROWN		
206	BRIGHT GREEN		
207	BLUE		
208	PURPLE		
209	PALE VIOLET		
210	PALE YELLOW		
211	PALE PINK		
212	PEACH		
213	BEIGE		
214	BROWN		
215	WINE RED		
216	PALE SKY		
217	SKY		
218	YELLOW GREEN		
219	OLIVE GREEN		
220	SILVER GRAY		
221	GRAY		
222	OCEAN BLUE		
223	BEIGE GRAY		
-	BOBBIN THREAD		

No.	Color		
224	ВАМВОО		
225	RED		
226	GREEN		
227	PALE AQUA		
228	BABY BLUE		
229	POWDER BLUE		
230	BRIGHT BLUE		
231	SLATE BLUE		
232	NAVY BLUE		
233	SALMON PINK		
234	CORAL		
235	BURNT ORANGE		
236	CINNAMON		
237	UMBER		
238	BLOND		
239	SUNFLOWER		
240	ORCHID PINK		
241	PEONY PURPLE		
242	BURGUNDY		
243	ROYAL PURPLE		
244	CARDINAL RED		
245	OPAL GREEN		
246	MOSS GREEN		
247	MEADOW GREEN		
248	DARK GREEN		
249	AQUAMARINE		
-	BOBBIN THREAD		
	1		

No.	Color
250	EMERALD GREEN
251	PEACOCK GREEN
252	DARK GRAY
253	IVORY WHITE
254	HAZEL
255	TOAST
256	SALMON
257	COCOA BROWN
258	SIENNA
259	SEPIA
260	DARK SEPIA
261	VIOLET BLUE
262	BLUE INK
263	SOLA BLUE
264	GREEN DUST
265	CRIMSON
266	FLORAL PINK
267	WINE
268	OLIVE DRAB
269	MEADOW
270	MUSTARD
271	YELLOW OCHER
272	OLD GOLD
273	HONEY DEW
274	TANGERINE
275	CANARY YELLOW
-	BOBBIN THREAD

## **BOBBINS**



The metal bobbin is suitable for Janome front and sideloaded professional-level machines including the 1600 series and MB-4. The clear plastic bobbin is compatible with all other Janome sewing and embroidery machines.


PLASTIC BOBBINS (10/pkg)	200-122-005	ABCDEFG NOPQ	ВР
METAL BOBBIN (single)	761-094-104	J L	NP

#### SPECIALIZED BOBBIN

Designed for Memory Craft embroidery and computerized models. Rubber added to the clear resin improves performance and reduces noise. Imprinted with letter 'J.'

PLASTIC BOBBIN (single)	102-261-103	ABCD	NOPQ	NP	
PLASTIC BOBBIN (single)	102-261-103	ARCD	NOPQ	NΡ	







200-277-084 ABCDEFG NOPQ NP

## **BOBBIN CASES**



Front and side-loading machines require a separate bobbin case which also acts to control the bobbin tension. Although not generally recommended, more advanced sewists like to adjust the lower tension to accommodate special threads, such as when using a handwound bobbin of thicker decorative thread. You can avoid tricky tension adjustments afterwards by having an extra bobbin case on hand specially adjusted for thicker or thinner threads.

HOUSEHOLD SEWING	647-515-006	G	NP
HIGH SPEED SEWING	767-510-006	J	NP
MULTI-NEEDLE EMBROIDERY	770-038-005	L	NP

## SPOOL HOLDER (SPECIAL)



Have you had times when you're putting a long spool on the horizontal spool stand but the spool pin is short and the spool holder can't be attached?

Janome has come up with a solution for this by developing a new spool holder.

The "Spool Holder (special)" is specifically for long spools.

202-233-006 AI	CDEFG NO	QBP
----------------	----------	-----

## **PROTECTIVE SHEET**



A sheet to protect the stainless steel plate on the free arm top from scratches and damage. Being transparent, it doesn't interfere with the exterior design and allows the embossed measurement guide to still be used.

859-434-003	N*1	ВР	
-------------	-----	----	--

<sup>\*1</sup> For use with HMC15000 and HMC12000 only

## REMOTE THREAD CUTTING SWITCH UNIT



Cut threads by foot after sewing. A useful tool for when both hands are occupied, allowing you to focus on the fabric. Can also be helpful when the machine is placed on a quilt frame, making your work more efficient.

- \*1 excl. MC8200QC
- $\star$  Should be used with the large foot controller only. Not included in set (sold separately).

## LARGE FOOT CONTROLLER




Now bigger and easier to use. As rubber covers the back face, it won't slip and is simple to operate. The larger surface facilitates a greater level of control.

858-417-007 A CD NOPQ	CE
-----------------------	----

## **PIN CUSION**







202-256-027 AC\*1 DN\*2 OP\*3Q\*4 NP



202-256-016 AC\*1 DN\*2 OP\*3Q\*4 NP



\*1 excl. MC6600P, MC6500P \*2 excl. CM17 \*3 excl. MC6700P, CM8P, CM7P, CM6 \*4 excl. MC6650

202-256-038 AC\*1 DN\*2 OP\*3Q\*4 NP

## **NET**



624-806-006 ABCDEFGHIJKLMNOPQ NP

## **SEWING MAT**



301-802-002 A\*1DEFGHIKM 445 mm X 325 mm NP

\*1 MC8000, MC5700 and MC5000 only



370 mm × 610 mm 301-803-003 L	NP	,
-------------------------------	----	---

## **CARRYING BAG**

These bags have all the sturdy features a traveling sewist needs: strong handles, accessory pockets and tons of space. Whether you're just going to sewing class or you're traveling across the country, you deserve a bag that fits your style.

Part Number	Package	lmage	Size (cm)	Compatible models
		62	Width X Height X Depth	2000,
655-811-206	СВ	MONAL	43 X 33 X 21	423S/415/405 3012/3016/3022 JR1012 303/306/743
				565, 565, 7.15
808-857-101	СВ	AMONE		
808-817-017	СВ	JANOME	42 X 32 X 22	Sewist 7255/721 230DC/360DC 5060QDC/5270QDC/DC3200/DC7100/DC6030 5100/MOD-100Q M200QDC/M7200 Sewist 780DC/Sewist 740DC
808-817-110	СВ	ANNAL.		507/808/809/811/812/814
				307, 300, 307, 311, 312, 314
785-823-300	СВ	JANOME	32 X 35 X 30	AT2000DP ML844D/ML744D/ML734D ML644D ML204D/990D 8002D
785-826-107	СВ	ANDRE	32 X 35 X 30	ML634D/1110DX/DreamLock70D/EzyLock604D ML213 9102D 799/794/791/789/792/788/790/793

## STRAIGHT STITCH NEEDLE PLATE



The straight stitch needle plate is designed with a round needle hole which offers the benefit of more support around the needle and is used in conjunction with the straight stitch foot.

Part Number	Package	Standard or Optional	Compatible models	Max. zigzag width	Needle Position	Easy Set Bobbin	One-Touch Needle Plate Conversion	Remarks
503-820-008	NP	Optional	6125QC/6019QC	7 mm	L,M	No	No	
860-405-906	СВ	Optional	MC11000/4300QDC/4120QDC/3160QDC/2160DC/ 2030DC/TS200Q/TS100Q 860/809/808/811	7 mm	L,M	No	No	Metal Needle Plate without Easy Set Bobbin System is required
809-833-012	NP	Optional	DC7100/DC7060/ DC6030/5300QDC/5270QDC/5060QDC/ Sewist 780DC/740DC/TS200Q/M200QDC 809/814/812	7 mm	L,M	Yes	No	Metal Needle Plate with Easy Set Bobbin System is required
200-088-101	NP	Optional	MC3000/MC4000/MC9000/MC9500/MC9700	7 mm	L,M	No	No	
846-833-109	NP	Optional	MC6600P	7 mm	L,M	No	No	
861-801-013	NP	Standard Optional	MC9900 MC9850	9 mm	L, M	Yes	Yes	
862-817-118	NP	Standard	HMC8900QCP SE/HMC8200QCP SE/ Skyline S9/57/S6/S5/HMC9480QCP/HMC9410QC/ HMC9450QCP/HMC9400QCP/MC6700P/MC6650	9 mm	L, M, R	Yes	Yes	
865-805-019	NP	Standard Optional	HMC9480QCP/HMC9450QCP/HMC9400QCP/MC6700P HMC9410QC/Skyline S9 ver.2.00 or later/MC6650	9 mm	L	Yes	Yes	HP Needle Plate
859-831-015	NP	Standard	HMC12000/HMC8900QCP/HMC8200QC	9 mm	L, M	No	Yes	
865-805-112	NP	Standard Optional	HORIZON Quilt Maker MC15000 HMC15000/HMC15000V2	9 mm	L	Yes	Yes	HP Needle Plate
862-817-015	NP	Standard	HMC15000/HMC15000V2/ HORIZON Quilt Maker MC15000/HMC14000	9 mm	L, M, R	Yes	Yes	
867-802-001	NP	Standard	CM6/CM7P/CM8P/CM17	9 mm	L, M, R	Yes	Yes (Magnet type)	
047.002.002	ND	Standard	CM7P/CM8P/CM17	0			Yes	НР
867-803-002	NP Optional CM6		9 mm	nm L	Yes	(Magnet type)	Needle Plate	
867-405-000	BP	Optional	CM6/CM7P/CM8P/CM17	9 mm	L	Yes	Yes (Magnet type)	HP Needle Plate and HP Foot
869-410-004	BP	Optional	HMC9480QCP/HMC9450QCP/HMC9410QC/ HMC9400QCP/Skyline S9 ver.2.00 or later/MC6700P/ MC6650/HMC15000	9 mm	L	Yes	Yes	HP Needle Plate and HP Foot

## **OPTIC MAGNIFIER**



When you need to get a closer view, attach the magnifier to make it easy to see the tiniest detail under the needle. Useful when threading, adjusting the position of the fabric, and carrying out detailed work.

Part Number	Do alva va	Holder	C+	Compatible Mo	dels
Part Number	Package	Holder	Strength	Optional Accessory	Standard Accessory
202-129-008	ВР	Short	20	DC7100/DC7060/DC6030/5060QDC/ DC3200	HMC12000
202-130-002	ВР	Long	20/40/60	HMC9480QCP/HMC9410QC HMC9450QCP/HMC9400QCP HMC8900QCP/HMC8200QC/MC6700P MC9900/MC9850/MC6650 Skyline S9/S7/S6/S5/S3 Sewist 780DC/740DC 5300QDC/5270QDC/4300QDC M200QDC/M100QDC/M50QDC TS200Q*/TS100Q*	HMC15000
202-400-006	ВР	Long	20		HMC14000
202-432-007	ВР	Long	20/40/60	CM8P/CM7P/CM6	CM17

<sup>\*1</sup> Holder (#859-233-000) and Setscrew 3x10(#000-161-206) are required for TS200Q/TS100Q(811)

## SKYLINE ACCESSORY CASE



Keep all the accessories for 9mm machines organized with this stylish 3-tiered accessory case.

Everything from AcuFeed Flex $^{\text{TM}}$  parts to bobbins and presser feet can be kept neat and clean in its own place.

\* Accessories not included

863-406-010	N*1P*2	СВ
-------------	--------	----

<sup>\*1</sup> SkylineS9 only

<sup>\*2</sup> For use with SkylineS6, Skyline7

## **EMBROIDERY HOOP**







Part Number	Package	Hoop Name		Size (mm)	Compatible Models
856-401-002	СВ	Small		50 × 50	MC200E
850-803-000	СВ	С	Free Arm	50 × 50	
850-406-009	СВ	D	Giga	230 × 200	 MC350E
850-413-009	СВ	F	Round	127 × 110	-
864-839-008	NP	RE36b	Rectangular	200 × 360	MC550E(Standard Accessory)
864-403-009	СВ	RE28b	Rectangular	200 × 280	MC550E/MC500E/MC450E
864-404-000	СВ	SQ20b	Square	200 × 200	MC550E/MC500E/MC450E/MC400E
864-405-001	СВ	RE20b	Rectangular	140 × 200	MC550E/MC500E/MC450E/MC400E
864-406-002	СВ	SQ14b	Square	140 × 140	MC550E/MC500E/MC450E/MC400E
864-407-003	СВ	RE10b	Rectangular	100 × 40	MC550E/MC500E/MC450E/MC400E
864-435-000	СВ	ASQ18b	AcuFil Quilting Kit	184 × 184	MC550E/MC500E/MC450E/MC400E
864-402-008	СВ	ASQ18b	AcuFil Quilting Kit	184 × 184	MC500E/MC450E/MC400E
861-803-509	NP	RE20a	Rectangular	170 × 200	Skyline S9/MC9900/MC9850
861-402-205	СВ	FA10a	Free Arm	100 × 40	Skyline S9/MC9900/MC9850
860-427-007	СВ	FA	Free Arm	50 × 50	
860-428-008	СВ	MA	Macro	200 × 280	Ī <u>.</u>
860-421-001	СВ	RE	Rectangular	140 × 200	-MC11000SE
860-445-012	СВ	ASQ	Professional Quilting Kit	180 × 180	
862-412-005	СВ	ASQ22	AcuFil Quilting Kit	220 × 220	HMC14000/HMC12000
862-407-052	СВ	RE18	Essential	140 × 180	HMC15000/HMC14000
770-487-704	NP		J1 No.11	30(diam.)	
770-487-807	NP		J1 No.12	30(diam.)	
770-487-302	NP		J2 No.6	24 × 54	
770-487-900	NP		J3 No.13	64 × 28	
770-487-508	NP		J4 No.8	42 × 67	MB-7/MB-4S/MB-4
770-487-209	NP		J5 No.3	46 × 46	-*Monogram Hoop Adaptor (770-482-008) is required when using hoops J1-J8
770-487-106	NP	J6 No.2		66 X 66	
770-487-601	NP	J6 No.9		66 X 66	
770-487-003	NP	J7 No.1		110 × 95	7
770-487-405	NP	J8 No.7		120 × 121	7
770-478-414	NP		S1:MB	37 × 59	MB-7/MB-4S/MB-4
770-478-517	NP		S2:MB	28 × 50	*Socks Hoop Adaptor (770-657-006) is required when using hoops S1, S2
770-480-006	СВ		Sock Hoop Kit		

Part Number	Package	Hoop Name	Required Hoop Size (mm)	Compatible Models
200-335-003	Plastic bag	Hat Hoop Insert (HH10b)	140 × 200	MC550E/MC500E/MC450E/MC400E/MC300E/MC350E MC9500/MC9700/MC11000SE
859-436-005	Plastic bag	Hat Hoop Insert	140 × 140	HMC15000/HMC14000/HMC12000
770-489-005	Plastic bag	Flat hat Hoop	Not required	MB-7/MB-4S/MB-4

## **EXTRA WIDE TABLE**



An Extra wide table fits snugly against your sewing machine, giving you a much larger work surface. Extra wide tables provide extra support for your sewing and quilting projects.

D. IN.	In. I.			6	1.		
Part Number	Package			Compatible Mode	ls I		
303-403-005	СВ	423S/419S/415/405	523/3022				
		303	312				
306-502-004	СВ	3012/3016/3022	311	FM-725	JR1012		
		306	311	725C	743		
725-813-002	СВ	FM-725	JR1012				
723 013 002	CD	725C	743/744/746/305				
502-405-000	СВ	Sewist 725S/721/709					
302-403-000	СВ	507G/507F					
		FD216/212/206 Sew Mini Platinum	M30A				
502-403-008	NP	508A/D/X/FD	805A				
		6019QC/6125QC					
503-801-003	СВ	503					
489-710-007	NP	HMC7700QCP (Standard Accessory)	HMC8200QC/ HMC8200QCP SE	HMC8900QCP/ HMC8900QCP SE (Standard Accessory)			
		858A	858G/G2	858F/F2			
		DC4030	DC2019/DC2010/NEK-50	8077/Magnolia7330	MC4800/MC4800QC	NH8420	DC3018
491-701-013	СВ	807F	84352	843W	841A	842H	843H/C
		MC4900	MC5200		5	7 1211	
491-701-091	СВ	847B	844C				
		HD9P/1600P	0440				
499-701-006	499-701-006 CB						
		767	41200DC /42000DC /52000DC	DC7060/7100/6030			
808-401-003	NP	3160QDC/2160DC 2030DC	4120QDC/4300QDC/5300QDC 5270QDC (Standard Accessory)	DC7060/7100/6030 5060QDC (Standard Accessory)	MOD100/50/30	M200QDC/M100QDC M50QDC	780DC/740DC
		808A/D/F	809A/AS/AU	809J2/J3/N/F	811	812	814
808-428-006	СВ	3160QDC/2160DC 2030DC	4120QDC/4300QDC/5300QDC 5270QDC (Standard Accessory)	DC7060/7100/6030 5060QDC (Standard Accessory)	MOD100/50/30	M200QDC/ M100QDC M50QDC	780DC/740DC
		808A/D/F	809A/AS/AU	809J2/J3/N/F	811	812	814
863-414-000	СВ	MC9900	Skyline S9	Skyline S7/S6/S5/S3			
		861	862SA	863AU/863F/863A/863AL			
846-401-104	СВ	MC6700P (Standard Accessory)	MC6650	MC6600P	MC6500P (Standard Accessory)		
040 401 104	CD	866A	866D	846F	846A		
865-806-009	NP	HMC9450QCP (Standard Accessory) 865C	HMC9400QCP (Standard Accessory) 865A				
		HMC9480QCP	HMC9410QC				
869-412-006	СВ	(Standard Accessory) 869A	(Optional Accessory) 869AL				
		CM17	OUPAL				
868-404-013	СВ	(Optional Accessory)					••••••
		868 CM8P	CM6				
867-806-027	СВ	(Standard Accessory)	(Optional Accessory)	CM7P			
		867C MC500E/MC450E/	867CL	867A			
864-408-004	СВ	MC400E					
		864AU/A/AL					
864-408-015	СВ	MC550E/MC500E MC450E/MC400E 864F/AU/A/AL					
770 014 000	65	MB-4S/MB-4	MB-7				
770-814-003	СВ	770	771				
		8002D					
202-438-106	СВ	792W					
		CoverPro 2000CPX	CoverPro 3000P				
795-812-307	СВ	796D	778				
		7700	110				

## **SPOOL STAND**



The two/five pin spool stand attaches easily to the back side of your machine. When using multiple colors of embroidery thread it makes for trouble-free embroidery, as it allows you to set out your colors as you sew.

Part Number	Package	Number of spool	Thead Guide	Compatible Models
202-513-003	СВ	For Two Spools	Not Available	Oscillating hook models (311/JR1212/1522 etc)


Part Number	Package	Number of spool	Thead Guide	Compatible Models
859-429-005	СВ		Round × 1	HMC15000/HMC14000/HMC12000/MC9900/MC9850/HMC9480QCP/ HMC9410QC/MC9450/MC9400/Skyline S9/S7/S6/S5/S3
858-402-009	СВ	For True Consile	Square × 1	HMC8900QCP/HMC8200QC/HMC7700QCP
859-429-016	СВ	For Two Spools	Round × 1 Square × 1	HMC15000/HMC14000/HMC12000/MC9900/MC9850/HMC9480QCP/ HMC9410QC/HMC9450QCP/HMC9400QC/HMC8900QCP/HMC8200QC/ HMC7700QCP/MC550E/MC500E/MC450E/MC400E/Skyline S9/S7/S6/S5/ S3
869-400-908	СВ		Round × 1	HMC9480QCP/HMC9410QC *Belt cover side mounting type

Part Number	Package	Number of spool	Thead Guide	Compatible Models
852-406-005	СВ		Square x 1	MC350E
832-420-014	СВ		Square x 1	MC10001/MC10000/MC9700/MC9500/MC9000/MC300E
860-406-000	СВ	For Five Spools	Square x 1	MC11000/MC200E
859-430-009	СВ		Round x1	HMC15000/HMC14000/HMC12000/MC9900/MC9850/HMC9480QCP/ HMC9410QC/HMC9450QCP/HMC9400QCP/HMC8900QCP/HMC8200QC/ HMC7700QCP/MC550E/500E/450E/400E/Skyline S9/S7/S6/S5/S3
868-405-014	СВ		Not Available	CM17

202-513-003 For Oscillating hook models



869-400-908 For HMC9480QCP/HMC9410QC \*Belt cover side mounting type



## INDEX

JANOME QUALITY		OVEREDGE FOOT	20	CONVERTIBLE FREE MOTION QUILTING FOOT SET	55
•		PINTUCKING CORD GUIDES	24	CORDING / ZIPPER FOOT	52
ACUFEED 1/4 INCH SEAM FOOT AND NEEDLE	10	PINTUCKING FEET	24	DARNING FOOT WITH DARNING PLATE	53
PLATE		PIPING FOOT	23	DITCH QUILTING FOOT	51
ACUFEED 1/4INCH SEAM FOOT	10	PIPING FOOT (NARROW)	23	EVEN FEED FOOT	53
ACUFEED DITCH QUILTING FOOT(Dual feed ditch		QUILT BINDER SET	36	FREE MOTION FRAME QUILTING FEET SET	56
quilting foot)	10 12	RIBBON SEWING GUIDE	34	HEMMER FOOT	51
ACUFEED FOOT WITH FOOT HOLDER/Divel food	12	RIBBON/SEQUIN FOOT	26	HD ROLLER FOOT	49
ACUFEED FOOT WITH FOOT HOLDER(Dual feed foot with Dual feed holder)	11	ROLLED HEM FOOT	22	SHIRRING FOOT	52
ACUFEED OPEN TOE FOOT(Dual feed open toe	11	ROLLER FOOT	15	SPECIALIZED STRAIGHT STITCH FEET	50
foot)	10	ROTARY EVEN FOOT	22	TAPING FOOT	54
ACUFEED QUILT PIECING FOOT(Dual feed quilt	10	ROUND HEMMER FOOT	22	ULTRA GLIDE FOOT VELVET FOOT	49
piecing foot)	10	RUFFLER	23	VELVET FOOT	50
ACUFEED STRAIGHT STITCH FOOT	10	SATIN STITCH FOOT SLIDING BUTTONHOLE FOOT	17 26		
ACUFEED ZIPPER FOOT(Dual feed zipper foot)	11	SLIDING GUIDE FOOT	15	NEEDLE PUNCHING	
A.S.R. (Accurate Stitch Regulator)	12	STRAIGHT STITCH FOOT	14	FINE NEEDLE BEELL	
		TAPING GUIDE FOOT	19	FINE NEEDLE REFILL	57 57
		TRANSPARENT BUTTONHOLE FOOT	26	FIVE NEEDLE (FIXED) UNIT NEEDLE UNIT WITH PRESSER FOOT INCLUDING	3/
GENERAL SEWING MACHINES		TRICOT FOOT	20		<b>-</b> 7
1/4 INCH RULER FOOT	30	ULTRA GLIDE FOOT	16	FIVE NEEDLE (REPLACEABLE) UNIT SINGLE NEEDLE (FIXED) UNIT	57 57
1/4 INCH SEAM FOOT	27	ULTRA GLIDE NEEDLE PLATE	16	STANDARD NEEDLE REFILL	57
1/4 INCH SEAM FOOT (WITHOUT GUIDE)	27	WIDE ROLLED HEM ATTACHMENTS	22	STANDARD NEEDLE REFILE	31
3-WAY CORDING FOOT	25	ZIPPER FOOT	21		
9-HOLE CORDING FOOT	25			MISC. ACCESSORIES	
ACUFEED 1/4 INCH SEAM FOOT AND NEEDLE				ACCORTED CENTING NIEEDLES	60
PLATE	27	OVERLOCKERS		ASSORTED SEWING NEEDLES	61
ACUFEED DITCH QUILTING FOOT	27	BEADING FOOT	39	BALL POINT NEEDLES BLUE BOBBIN	68
ACUFEED OPEN TOE FOOT	18	BLIND STITCH FOOT	38	BLUE TIP NEEDLES	60
ACUFEED QUILT PIECING FOOT	27	CLOTH GUIDE	40	BOBBIN CASES	68
ACUFEED STRAIGHT STITCH FOOT	14	CORDING FOOT(A)	39	BOBBINS	68
ACUFEED ZIPPER FOOT	21	CORDING FOOT (B)	37	BRUSH-OUT EMBROIDERY KIT	66
APPLIQUE FOOT	14	ELASTIC GATHERING ATTACHMENT	38	CARRYING BAG	71
BEADING FOOT	25	GATHERING ATTACHMENT	40	CLOTHSETTER/CLOTHSETTER TABLE	63
BI-LEVEL FOOT	19	PIPING FEET	40	CUTWORK NEEDLE HOLDER	61
BIAS TAPE ATTACHMENT	22	TAPING FOOT WITH REEL	38	CUTWORK NEEDLE SET	61
BINDER FOOT	18	WASTE CHIP BOX	39	EMBROIDERY COUCHING FOOT SET	66
BLIND HEM ATTACHMENT	22			EMBROIDERY HOOP	74
BLIND HEM FOOT	20	COVER STITCH MACHINES		EMBROIDERY THREAD	67
BOBBIN HOLDER FOR FREE QUILTING AND	2.2	COVERSTITCH MACHINES		EXTRA WIDE TABLE	75
HAND-LOOK STITCHING	33	ADJUSTABLE SEAM GUIDE	42	FM725 CHANGEABLE NEEDLE UNIT	62
BOBBIN HOLDER(high tension for embroidery use)		BIAS TAPE GUIDE AND BELT LOOP FOLDER	44	FM725 FIXED FIVE FELTING NEEDLE UNIT	62
BORDER GUIDE FOOT	33	BINDER FOOT WITH GUIDE	44	FM725 FIXED SINGLE FELTING NEEDLE UNIT	62
BUTTON SEWING FOOT	26	CENTER GUIDE FOOT	42	FM725 NEEDLE REFILLS	62
BUTTONHOLE STABILIZER PLATE	34	CLEAR VIEW COVER STITCH FOOT	41	INSERT PLATE A	64
CIRCULAR ATTACHMENT	35 27	ELASTIC GATHERING ATTACHMENT	42	INSERT PLATE B	64
CLEAR VIEW 1/4 INCH SEAM FOOT	28	HEM GUIDE	41	INSERT PLATE C	64
CLEAR VIEW QUILITNG FOOT AND GUIDE SET CONCEAL® ZIPPER FOOT	21	TAPE BINDER	43	INSERT PLATE D	64
CONVERTIBLE EVEN FEED FOOT SET	29	TAPE BINDER AND BINDER FOOT WITH GUIDE	44	INSERT PLATE E	64
CONVERTIBLE FREE MOTION QUILTING FOOT SET	31	TAPE STAND	44	INSERT PLATE F	64
CUSTOM CRAFTED ZIGZAG FOOT	18			INSERT PLATE G	64
DARNING FOOT	15	PROFESSIONAL OVERLOCK		INSERT PLATE H	64
DITCH QUILTING FOOT	27			LARGE EMBROIDERY DESIGN COLLECTION	66
DITCH QUILTING GUIDE AND ADJUSTABLE		AND COVER STITCH		LARGE FOOT CONTROLLER	69
QUILTING GUIDE SET	29	AAA CUUNIEC		NET OPTIC MA CAUSIED	70
EDGE GUIDE FOOT	35	MACHINES		OPTIC MAGNIFIER	73 70
EVEN FEED FOOT WITH QUILTING GUIDE (OPEN		BEADING FOOT	46	PIN CUSION	68
TOE)	29	BELT LOOP FOOT	48	PINK BOBBIN PROTECTIVE SHEET	69
EVEN FEED FOOT WITH QUILTING GUIDE		BIAS TAPE FOOT	48	PURPLE TIP NEEDLES	60
(REGULAR)	29	BLIND STITCH FOOT	46	RED TIP NEEDLES	61
FLOWER STITCHER	36	COVER HEM FOOT, LACE ATTACHEMNT, HEM &		REMOTE THREAD CUTTING SWITCH UNIT	69
FREE MOTION COUCHING FOOT SET	33	WRAPPED EDGE GUIDES	47	SEWING MAT	70
FRINGING FOOT	34	GATHERING FOOT	45	SIDE TABLE STAND UNIT	65
GATHERING FOOT	17			SKYLINE ACCESSORY CASE	73
HD ROLLER FOOT	16	HIGH CDEED MAACHINIEC		SPOOL HOLDER (SPECIAL)	69
HEMMER FEET SET	22	HIGH SPEED MACHINES		SPOOL STAND	76
LAP-SEAM FOOT	19	1/4 INCH SEAM FOOT	51	STRAIGHT STITCH NEEDLE PLATE	72
LARGE BUTTONHOLE FOOT AND STABILIZER		1/4 INCH RULER FOOT SET	56	TOP STITCH NEEDLES	61
PLATE	34	ADJUSTABLE SEAM GUIDE	55	UNIVERSAL TABLE STAND	64
LONG QUILTING GUIDE BAR SET	29	ADJUSTABLE ZIPPER FOOT	54	UNIVERSAL TABLE STAND FOR CONTINENTAL	
OVERCASTING FOOT	20	CONCEAL® ZIPPER FOOT	54	SERIES	65





JANOME Corporation
YOU 2024.06